

Franke Kindred Canada Limited

Your home and everything in it is a reflection of you. From the comforts that are important to you and your family, to design preferences and layouts, and even the fixtures and fittings in the kitchen & bath areas, all elements echo the unique aspects of your life.

At Franke Kindred, we believe our part in your home is to make your busy life simpler. Our collections of stainless steel and granite kitchen sinks, and stainless steel vanity basins are designed and manufactured to exacting quality standards, with big deep bowls, easy installation, robust finishes, and a Lifetime Warranty.


Whether your home is an entertainment hub every weekend, a place for the high school basketball team to hang out, or a compact "empty nest", we have a sink to suit.

We appreciate your consideration of a fine Kindred product for inclusion in your home – thank you.

Sincerely,

The Franke Kindred Family





function, finish and fittings...



A sink serves one key function ... to wash up. Plain and simple.

However, with consideration for bowl configuration, material, finish and a few key accessories, the kitchen sink can be anything but mundane – it can be key to simplifying tasks in the kitchen.

Consider how you use your sink. Do you wash and stack, or simply rinse before loading the dishwasher? How about food prep? You may want one large bowl for cleanup of serving trays and roasters, with a second separate sink for a prep station of hospitality area. We have sinks for all of these and more!

The décor of your home and choice of appliances and cabinetry hardware finishes may influence your selection of a particular finish in a sink. Commercial satin is a lovely complement to commercial look appliances, whereas granite composite products with matching faucets are a nice alternative to stainless.

A sink is just a sink ... until you add chore busting accessories! Chopping boards for slicing and serving, colanders for rinsing, and racks for draining are just some of the many sink accessories we offer to add function to your sink, and simplify your life. Add a dual spray kitchen faucet and matching soap dispenser, and your sink is transformed to a hub of kitchen efficiency!

Fabulous!

Table of Contents

KINDRED COLLECTION

DESIGNER SERIE	ES HAND-CRAFTED			
	Farmhouse Undermount and trough Appliance sinks Accessory rail sinks Stainless steel faucets & soap dispensers	07 12 14	- - -	1 1
KINDRED COLLE	ECTION - STAINLESS			
	Undermount Vanity			
KINDRED SANIT	IZED® GRANITE			
	Mythos Color matched Granite faucets			
STEEL QUEEN				
	Topmount			
	Apron Front			
	Cuisinette accessorized sinks			
	Undermount			
	Laundry / Specialty	65	-	7
KINDRED FAUCE	ETS / FITTINGS AND FOOD WASTE DISPOSERS			
	Pull-out spray faucets	74	-	7
	Soap dispensers			
	Food waste disposers	80	-	8
KINDRED ACCES	SSORIES			
		84	-	8
FINISH NOTES				_
			٠.	8
KINDRED WARR				^
			• •	8
QUICK FIND GU	IIDE	89	_	9



Sink model KCFD36B/9-10BG and faucet model KF10A.

KINDRED COLLECTION

Kindred Collection includes three families of product:

Kindred Collection Designer Series

Kindred Designer Series models are hand crafted of heavy 18 gauge stainless steel with **10 mm** radius corners and commercial satin finish. Included in this collection are hand fabricated Apron Front Farmhouse models, Topmount and Undermount models with integrated accessory rails, and Stainless Steel Faucets and Soap Dispensers. Matchless design, sizes and configurations for your dream kitchen are all combined with outstanding aesthetics!

Kindred Collection Undermount

Kindred Collection 18 gauge undermount sinks feature big, generous dimensions, and distinctive creased bottom bowls, in an array of sizes for kitchen, bar, island and vanity.

Kindred Collection Sanitized® Granite

Kindred Granite is simply gorgeous ... and tough! Available in four fabulous sublime colors, Kindred Granite topmount and undermount models are shipped complete with stainless steel bottom grids, and are a particularly striking choice when combined with a color-matched Kindred faucet.



The Designer Series Farmhouse Sinks

Hand Crafted Beauty For Your Home

Kindred Designer Series Farmhouse sinks have all of the contemporary benefits you have come to expect from a stainless steel sink, as well as the charm and beauty of a traditional country kitchen. Kindred Farmhouse sinks really do offer the best of both worlds ... new technology and materials, combined with time honored design and practicality.

Ever try to put a round peg in a small square hole? Doesn't work well, does it? End the frustration with Kindred's larger capacity, extra deep – a full 9" and 10" – sink bowls. Straight sides and crisp 10mm corner radius result in generous dimensions designed to easily accommodate today's larger specialty pots and pans. It's beautifully simple and simple to clean. Much of the beauty of our Designer Series product can be attributed to its long lasting wear and enduring good looks featuring a #4 commercial satin finish that's soft in appearance, but rugged enough to handle years of kitchen duty. And, all Designer Series Farmhouse sinks include stainless steel bottom grids, mixing bowl and strainer.

A Kindred Farmhouse, or apron front sink, will be the centerpiece of your kitchen and looks fabulous from any vantage point ... this is a sink that doesn't shy away from attention. Beyond its stylish good looks are real functional benefits. Our farmhouse sink is cleverly designed so the bowl is closer to you and more accessible. Since you spend so much kitchen time in front of the sink, it just makes sense.

So there you have it ... hand crafted beauty to give you years of pleasure.


KCFS30A/10-10BG

\$2,153.00



10 mm radius coved corners

Shipping Weight 55.0 lbs. (25.0 kg.)



Single bowl dimensions 16" FB x 27" LR x 10" DP

Linear front

Rear drain wastehole location Bowl is pitched to the center of the wastehole 9" apron front with 2 1/2" return

Outside sink rim dimensions 20" FB x 29 7/8" LR

Undermount template included

FUN# 123.0178.914

30" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

OPTIONAL ACCESSORIES




















KCFS30B/10-10BG

\$2,153.00



10 mm radius coved corners

Shipping Weight 56.0 lbs. (25.5 kg.)



Outside sink rim dimensions 20" FB x 29 7/8" LR Single bowl dimensions 16" FB x 27" LR x 10" DP

Bow front

Rear drain wastehole location Bowl is pitched to the center of the wastehole 9" curved apron front

Undermount template included

FUN# 123.0178.912

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES

















BGDS27S CB1714MB CB1714SB Included!

MB1612

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS





SUGGESTED KINDRED FITTINGS

KSD10A

associate to determine correct hole drillings

Speak to a showroom associate to determine correct hole drillings


KCFS33A/10-10BG

\$2,402.00





Shipping Weight 60.0 lbs. (27.3 kg.)



10 mm radius coved corners

Outside sink rim dimensions 20" FB x 32 7/8" LR Single bowl dimensions 16" FB x 30" LR x 10" DP

Linear front

Rear drain wastehole location Bowl is pitched to the center of the wastehole 9" apron front with 2 1/2" return

Undermount template included

FUN# 123.0178.913

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



















BGDS30S CB1714MB CB1714SB Included! Included! Included!









C09S


KCFS33B/10-10BG


\$2,402.00



Shipping Weight 61.0 lbs. (27.7 kg.)

10 mm radius coved corners





Outside sink rim dimensions 20" FB x 32 7/8" LR Single bowl dimensions 16" FB x 30" LR x 10" DP

Bow front

Rear drain wastehole location Bowl is pitched to the center of the wastehole 9" curved apron front

Undermount template included

FUN# 123.0178.915

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES





BGDS30S CB1714MB CB1714SB













SUGGESTED KINDRED FITTINGS



KF10A



Speak to a showroom associate to determine correct hole drillings

KCFS36A/10-10BG

\$2,566.00

_CUPC®

10 mm radius coved corners Shipping Weight 63.0 lbs. (28.6 kg.)



35 7/8" [91.1cm] [50.8cm] 20, 33" [83.8cm]

Single bowl dimensions 16" FB x 33" LR x 10" DP Linear front

Rear drain wastehole location Bowl is pitched to the center of the wastehole 9" apron front with 2 1/2" return

Outside sink rim dimensions 20" FB x 35 7/8" LR

Undermount template included

FUN# 123.0178.916

36" cabinet - recommended minimum for Kindred install method





SUGGESTED KINDRED FITTINGS

Speak to a showroom associate to determine correct hole drillings

OPTIONAL ACCESSORIES















_CUPC®



BGDS33S CB1714MB CB1714SB


KCFS36B/10-10BG

\$2,566.00



10 mm radius coved corners

Shipping Weight 72.0 lbs. (32.8 kg.)



Outside sink rim dimensions 20" FB x 35 7/8" LR Single bowl dimensions 16" FB x 33" LR x 10" DP

Bow front Rear drain wastehole location Bowl is pitched to the center of the wastehole

9" curved apron front Undermount template included

FUN# 123.0055.590

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES





Included!







MB1612











SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings


KCFD36A/9-10BG


\$3,329.00




10 mm radius coved corners

Shipping Weight 65.0 lbs. (29.5 kg.)







Rear drain wastehole locations Bowls are pitched to the center of the wasteholes

9" apron front with 2 1/2" return Undermount template included

FUN# 123.0178.905

Linear front

36" cabinet - recommended minimum for Kindred install method

Outside sink rim dimensions 20" FB x 35 7/8" LR

Equal size bowl dimensions 16" FB x 16" LR x 9" DP

OPTIONAL ACCESSORIES









BGDS16S CB1714MB CB1714SB Included! Included! Included!















CM100 C09S

SUGGESTED KINDRED FITTINGS






Speak to a showroom associate to determine correct hole drillings

KCFD36B/9-10BG

\$3,329.00



10 mm radius coved corners Shipping Weight 70.8 lbs. (32.3 kg.)



Equal size bowl dimensions 16" FB x 16" LR x 9" DP Rear drain wastehole locations Bowls are pitched to the center of the wasteholes

Outside sink rim dimensions 20" FB x 35 7/8" LR

9" curved apron front Undermount template included

FUN# 123.0055.615

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES









Included!















SUGGESTED KINDRED FITTINGS





Sneak to a showroom associate to determine correct hole drillings



The Designer Series Undermount Sinks

A Clean Sweep in Streamlined Beauty

Kindred Designer Series Undermount Sinks are incredibly popular and blend beautifully with any décor. These sinks are perfect partners for high-end countertops such as granite, marble, quartz or even concrete. This isn't a one-size-fits-all sink solution. Choose from single bowl, double bowls and combination bowls to suit any kitchen design.

THE DESIGNER SERIES - UNDERMOUNT SINKS - 18 GAUGE, 18-10 STAINLESS STEEL - BOTTOM GRID INCLUDED

KCUS24A/10-10BG

\$1,514.00

_CUPC®

10 mm radius coved corners Shipping Weight 36.0 lbs. (16.4 kg.)



7cm] 21" [53.3 cm]

Outside sink rim dimensions 18" FB x 23" LR Single bowl dimensions 16" FB x 21" LR x 10" DP

Rear drain wastehole location

Bowl is pitched to the center of the wastehole

Undermount template included

FUN# 123.0178.907

24" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings

OPTIONAL ACCESSORIES













KCUS30A/10-10BG


\$1,571.00

 $_{\text{C}}\text{UPC} \oplus$



10 mm radius coved corners

Shipping Weight 48.6 lbs. (22.0 kg.)



Outside sink rim dimensions 18" FB x 29" LR Single bowl dimensions 16" FB x 27" LR x 10" DP

Rear drain wastehole location Bowl is pitched to the center of the wastehole Undermount template included

FUN# 123.0178.908

30" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES















SUGGESTED KINDRED FITTINGS





SUGGESTED KINDRED FITTINGS

KSD10A

Speak to a showroom associate to determine correct hole drillings

Speak to a showroom associate to determine correct hole drillings


KCUS33A/10-10BG

\$1,670.00

_CUPC®

10 mm radius coved corners

Shipping Weight 41.4 lbs. (18.8 kg.)



Outside sink rim dimensions 18" FB x 32" LR Single bowl dimensions 16" FB x 30" LR x 10" DP

Rear drain wastehole location Bowl is pitched to the center of the wastehole

Undermount template included

FUN# 123.0178.909

33" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



\$1,802.00



KCUS36A/10-10BG










DBR10S CM100

C09S

_CUPC®

10 mm radius coved corners

Shipping Weight 53.0 lbs. (24.1 kg.)



Outside sink rim dimensions 18" FB x 35" LR Single bowl dimensions 16" FB x 33" LR x 10" DP

Rear drain wastehole location

Bowl is pitched to the center of the wastehole

Undermount template included

FUN# 123.0178.911

36" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES













SUGGESTED KINDRED FITTINGS



KF10E



Sneak to a showroom associate to determine correct hole drillings

THE DESIGNER SERIES - UNDERMOUNT SINKS - 18 GAUGE, 18-10 STAINLESS STEEL - BOTTOM GRID INCLUDED


KCUS21A/8-10BG

\$1,039.00



Shipping Weight 25.64 lbs. (11.4 kg.)

10 mm radius coved corners



Outside sink rim dimensions 17" FB x 17" LR Single bowl dimensions 15" FB x 15" LR x 8" DP

Rear drain wastehole location

Bowl is pitched to the center of the wastehole

Undermount template included

FUN# 123.0178.906

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings

MB100






KCUC27R/9-10BG

\$1,902.00



10 mm radius coved corners

Shipping Weight 40.0 lbs. (18.2 kg.)



Outside sink rim dimensions 18" FB x 26" LR Large bowl dimensions 16" FB x 13" LR x 9" DP Small bowl dimensions 16" FB x 10" LR x 8" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

FUN# 123.0178.910

27" cabinet - minimum to accept sink bowls

Undermount template included

OPTIONAL ACCESSORIES

















C09S

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


KCUD30/9-10BG

\$2,228.00



10 mm radius coved corners

Shipping Weight 47.0 lbs. (21.4 kg.)



Outside sink rim dimensions 18" FB x 29" LR Equal size bowl dimensions 16" FB x 13" LR x 9" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

Undermount template included

FUN# 123.0078.543

30" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES





























CM100

C09S





SUGGESTED KINDRED FITTINGS

Speak to a showroom associate to determine correct hole drillings


KCUD33/9-10BG

\$2,454.00



10 mm radius coved corners

Shipping Weight 49.25 lbs. (22.0 kg.)



Outside sink rim dimensions 18" FB x 31" LR Equal size bowl dimensions 16" FB x 14" LR x 9" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

Undermount template included

FUN# 123.0078.550

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES

















SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

THE DESIGNER SERIES • UNDERMOUNT SINKS • 18 GAUGE, 18-10 STAINLESS STEEL • BOTTOM GRID INCLUDED


KCUD36/9-10BG

\$2,579.00

_CUPC®

10 mm radius coved corners

Shipping Weight 46.85 lbs. (20.9 kg.)



Outside sink rim dimensions 18" FB x 35" LR Equal size bowl dimensions 16" FB x 16" LR x 9" DP

Rear drain wastehole locations

Bowls are pitched to the center of the wastehole

Undermount template included

FUN# 123.0055.624

36" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES

















SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

BGDS16S MB100






KCUC30R/9-10BG

\$2,228.00

_CUPC®



Shipping Weight 47.0 lbs. (21.4 kg.)



Outside sink rim dimensions 18" FB x 28" LR Large bowl dimensions 16" FB x 14" LR x 9" DP Small bowl dimensions 16" FB x 11" LR x 9" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

Undermount template included

FUN# 123.0151.497

30" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES





Included













_CUPC®



SUGGESTED KINDRED FITTINGS





SUGGESTED KINDRED FITTINGS

KSD10A

Speak to a showroom associate to determine correct hole drillings

Speak to a showroom associate to determine

correct hole drillings


KCUC33R/9-10BG





10 mm radius coved corners

Shipping Weight 51.0 lbs. (21.2 kg.)



Outside sink rim dimensions 18" FB x 32" LR Large bowl dimensions 16" FB x 18" LR x 9" DP Small bowl dimensions 16" FB x 11" LR x 8" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

Undermount template included

FUN# 123.0055.594

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES



















\$2,753.00



MB100










C09S

_CUPC®

10 mm radius coved corners

Shipping Weight 46.0 lbs. (20.9 kg.)



Outside sink rim dimensions 18" FB x 35" LR Large bowl dimensions 16" FB x 21" LR x 9" DP Small bowl dimensions 16" FB x 11" LR x 9" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole Undermount template included

FUN# 123.0151.502

36" cabinet - minimum to accept sink bowls

KCUC36R/9-10BG



OPTIONAL ACCESSORIES



Included!















KF10E



SUGGESTED KINDRED FITTINGS

Sneak to a showroom associate to determine correct hole drillings

THE DESIGNER SERIES - UNDERMOUNT SINKS - 18 GAUGE, 18-10 STAINLESS STEEL - BOTTOM GRID INCLUDED

KCUS8A/8-10BG

\$689.00

_CUPC®

_CUPC®

10 mm radius coved corners

Shipping Weight 21.15 lbs. (9.4 kg.)



Outside sink rim dimensions 19" FB x 10" LR Single bowl dimensions 17" FB x 8" LR x 8" DP

Rear drain wastehole location Bowl is pitched to the center of the wastehole Undermount template included

FUN# 122.0275.251

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES




KCUS22A/8-10BG



\$832.00

Shipping Weight 25.35 lbs. (11.3 kg.)

10 mm radius coved corners



Outside sink rim dimensions 10" FB x 24" LR Single bowl dimensions 8" FB x 22" LR x 8" DP

Rear drain wastehole location Bowl is pitched to the center of the wastehole

Undermount template included

FUN# 122.0275.252

24" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

KSD10A



KF10A

KSD10A

Speak to a showroom associate to determine correct hole drillings

Speak to a showroom associate to determine

correct hole drillings



The Designer Series Appliance Sinks

A New Appliance for your Home

Today's sleek and contemporary appliances simplify our complex lives. They are an essential element of our daily chores and if you think about it ... life without your range or refrigerator would be well, unthinkable. We feel the same way about your kitchen sink. As a matter of fact, we see the kitchen sink as the most important appliance you have. (OK, we may be a bit biased, but it is a vital part of every kitchen.)

The Appliance Sink is our answer for the kitchen of today, and tomorrow.

Designer Series Appliance sinks are hand fabricated in 18 gauge, 18-10 stainless steel, and feature a robust #4 Commercial finish to complement your kitchen's stainless appliances. The Designer Series Appliance Sink is the simple solution to challenging chores. We believe that food preparation and cleanup should be a pleasure. Imagine a sink that comes complete with custom accessories, anticipating your needs and providing solutions that work ... from chopping and slicing and dicing ... to rinsing and draining ... to mixing and stirring ... and even provides a place to cool off hot pots, or defrost items straight from the freezer.

Good looks and an easy-to-care-for finish; big, deep, spacious sink bowls; sink accessories and waste fittings included; and the peace of mind associated with a lifetime warranty all add up to a product you will enjoy today and tomorrow.

THE DESIGNER SERIES - APPLIANCE SINKS - 18 GAUGE, 18-10 STAINLESS STEEL - ACCESSORIES INCLUDED


KCAS33/10

\$1,391.00



10 mm radius coved corners

Shipping Weight 68.0 lbs. (28.6 kg.)



Outside sink rim dimensions 25 1/2" FB x 33" LR Single bowl dimensions 16 1/2" FB x 30" LR x 9" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

KCAS33/10/3A - 3 hole - 1 1/2"dia., 4" center-to-center FUN# 123.0182.833

33" cabinet - recommended minimum for Kindred install method

LIMITED AVAILABILITY

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings


KCAC36R/10

\$1,468.00



10 mm radius coved corners

Shipping Weight 70.8 lbs. (32.3 kg.)



Outside sink rim dimensions 25 1/2" FB x 36" LR Large bowl dimensions 16 1/2" FB x 19" LR x 9" DP Small bowl dimensions 16 1/2" FB x 12 1/2" LR x 9" DP

Rear drain wastehole locations, faucet ledge Bowls are pitched to the center of the wasteholes

KCAC36R/10/3A - 3 hole - 1 1/2" dia. 4" center-to-center FUN# 123.0182.839

36" cabinet - recommended minimum for Kindred install method

LIMITED AVAILABILITY

OPTIONAL ACCESSORIES













_CUPC®

SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings


KCAD36/10

\$1,520.00



10 mm radius coved corners

Shipping Weight 70.8 lbs. (32.3 kg.)



Outside sink rim dimensions 25 1/2" FB x 36" LR Equal size bowl dimensions 16 1/2" FB x 15 3/4" LR x 9" DP

Rear drain wastehole locations, faucet ledge Bowls are pitched to the center of the wasteholes

KCAD36/10/3A - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 123.0182.841

36" cabinet - recommended minimum for Kindred install method

LIMITED AVAILABILITY

OPTIONAL ACCESSORIES





RM1615S Included!





GB1814 Included!








FPB1814

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings



The Designer Series Accessory Rail Sinks

Innovative Design

At Kindred we never stop experimenting with the latest materials and technology and exploring innovative ideas and designs to bring the world's best sink selection to you.

Our Designer Series Accessory Rail kitchen sinks are fabricated from heavy 18 gauge stainless steel with generous 9 inch deep bowls, boast a sleek rim and profile with 10 mm radius corners, and an integrated accessory rail. These models do double duty and save space, by allowing placement of drainer baskets, colanders and cutting boards right on the sink for food prep and clean up. All Designer Series Accessory Rail models are shipped complete with a stainless steel bottom grid, glass board/color mat, and stainless steel colander.

As with all Designer Series models, we have finished our topmount and undermount sinks with a commercial #4 satin finish, a perfect complement to commercial look appliances, and easy to repair should you scratch it.

THE DESIGNER SERIES - ACCESSORY RAIL SINKS - 18 GAUGE, 18-10 STAINLESS STEEL - ACCESSORIES INCLUDED

KCD36/9-10A


\$2,708.00





10 mm radius coved corners

Shipping Weight 56.0 lbs. (25.4 kg.)



Outside sink rim dimensions 18 1/2" FB x 34 1/2" LR Equal size bowl dimensions 16" FB x 16" LR x 9" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

FUN# 123.0202.224

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

BGDS16S

BGDS16S








KCD33/9-10A

\$2,577.00



10 mm radius coved corners

Shipping Weight 52.0 lbs. (23.6 kg.)



Outside sink rim dimensions 18 1/2" FB x 30 1/2" LR Equal size bowl dimensions 16" FB x 14" LR x 9" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

FUN# 123.0202.222

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











C09S

SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings


KCC33R/9-10A

\$2,404.00





10 mm radius coved corners Shipping Weight 53.0 lbs. (24.0 kg.)



Outside sink rim dimensions 18 1/2" FB x 31 1/2" LR Large bowl dimensions 16" FB x 18" LR x 9" DP Small bowl dimensions 16" FB x 11" LR x 9" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

FUN# 123.0202.236

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES







BGDS11S GB1712M Included! Included!









C09S





SUGGESTED KINDRED FITTINGS

Speak to a showroom associate to determine correct hole drillings

KCC30R/9-10A

\$2,339.00

_CUPC®

10 mm radius coved corners Shipping Weight 52.0 lbs. (23.6 kg.)



Outside sink rim dimensions 18 1/2" FB x 27 1/2" LR Large bowl dimensions 16" FB x 14" LR x 9" DP Small bowl dimensions 16" FB x 11" LR x 9" DP

Rear drain wastehole locations Bowls are pitched to the center of the wastehole

FUN# 123.0202.226

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES















SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


THE DESIGNER SERIES - ACCESSORY RAIL SINKS - 18 GAUGE, 18-10 STAINLESS STEEL

KCS30/10-10A

\$1,649.00

 $_{\text{C}}\text{UPC}$

10 mm radius coved corners Shipping Weight 48.0 lbs. (21.8 kg.)



Outside sink rim dimensions 18 1/2" FB x 28 1/2" LR Single bowl dimensions 16" FB x 27" LR x 10" DP

Rear drain wastehole locations

Bowls are pitched to the center of the wastehole

FUN# 123.0202.228

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











C095

SUGGESTED KINDRED FITTINGS






associate to determine correct hole drillings

associate to determine KSD10A correct hole drillings


KCS33/10-10A

\$1,754.00





Shipping Weight 52.0 lbs. (23.6 kg.)



Outside sink rim dimensions 18 1/2" FB x 28 1/2" LR Single bowl dimensions 16" FB x 30" LR x 10" DP

Rear drain wastehole locations

Bowls are pitched to the center of the wastehole

FUN# 123.0202.230

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES

KCS21SR/8-10BG

\$1,235.00











C09S

10 mm radius coved corners



Outside sink rim dimensions 17" FB x 17 1/2" LR Single bowl dimensions 15" FB x 15" LR x 8" DP

Rear drain wastehole locations

Bowls are pitched to the center of the wastehole

FUN# 123.0202.234

21" cabinet - recommended minimum for Kindred install method



OPTIONAL ACCESSORIES







C20S

SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS



KF10E



Speak to a showroom associate to determine correct hole drillings



The Designer Series Kitchen Faucets and Soap Dispensers

The Perfect Addition

Look to the Designer Series Kitchen Faucets and Soap Dispensers for the perfect partner for your sink. These durable and easy to clean sink auxiliary products feature a commercial satin finish for that polished professional look, and unlike a coating finish cannot wear off over time. And best of all, stainless steel faucets and soap dispensers are easy to clean – after all, we all have better things to do with our time than cleaning!

With a faucet to fit every function, from filling oversized pots to the fast flexibility of a pull down sprayer, we offer an array of styles, all with ceramic disc cartridge for fuss free function, and backed with a lifetime warranty.

Check out the versatility of our gooseneck, high arch, pull down, spout and pot filler models. All have an aerated stream flow, and pull down models offer spray flow as well.


THE DESIGNER SERIES - FAUCETS AND DISPENSERS

KF10A

\$477.00



_c**UPC**® Shipping Weight 7.9 lbs. (3.6 kg.)



High Arc Stainless Steel Gooseneck Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve Flow – aerated stream 3/8" flexible braided hose x 22" long Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2" Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0083.703

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KF10B

\$676.00



_cUPC® Shipping Weight 10.4 lbs. (4.7 kg.)



Pro Style Pull Down Stainless Steel Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream and spray 3/8" flexible braided hose x 22" long Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2" Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0083.792

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KF10C

\$541.00



cUPC® Shipping Weight 7.9 lbs. (3.6 kg.)



Cube High Arc Stainless Steel Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve Flow – aerated stream

3/8" flexible braided hose x 22" long

Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0160.249

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KF10D

\$489.00



CUPC® Shipping Weight 4.5 lbs. (2.0 kg.)



Rondo Stainless Steel Spout Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow - aerated stream

3/8" flexible braided hose x 22" long

Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2" Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0202.347

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KF10E

\$545.00



cUPC® Shipping Weight 5.1 lbs. (2.3 kg.)



Planar Stainless Steel Spout Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream

3/8" flexible braided hose x 22" long

Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0202.347

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

PF10A

\$591.00



cUPC® Shipping Weight 7.8 lbs. (3.5 kg.)



Countertop Mount Stainless Steel Pot Filler Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream

3/8" flexible braided hose x 22" long

Requires 7/8" to 1 3/8" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

Single cold supply only

FUN# 115.0202.351

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KSD10A

\$126.00



Shipping Weight 0.8 lbs. (0.3 kg.)



Stainless steel soap and lotion dispenser

Commercial satin finish

Solid stainless steel construction

500ml capacity polypropylene bottle

Soap dispenser requires 1 1/2" diameter hole

Soap dispenser can accommodate a countertop thickness up to 1 1/2"

FUN# 119.0083.793

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KSD10C

\$177.00



Shipping Weight 1.4 lbs. (0.6 kg.)



Stainless steel cube style soap and lotion dispenser

Commercial satin finish

Solid stainless steel construction

500ml capacity polypropylene bottle Soap dispenser requires 1 1/2" diameter hole

Soap dispenser can accommodate a countertop thickness up to 1 1/2"

FUN# 119.0160.246

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



Sink model KSCM3RUA/9D.

KINDRED COLLECTION

Kindred Undermount Series

Wondering what to do with your kitchen, bar or island? Well, wonder no more. Kindred Collection 18 gauge undermount sinks feature generous dimensions, and distinctive creased bottom bowls, in an array of sizes and applications.

Undermount sinks are designed for solid surface materials such as granite, quartz or composite. Placing the sink below the counter draws attention to the luxurious beauty of the solid surface material and makes a clean sweep of kitchen cleanups – with no ledges or obstructions you simply wipe off the counter directly into the sink.

A sink is more than just a place for doing dishes and with this in mind, we took the time to design custom fit accessories for most Kindred Collection undermount models. From glass boards to wooden chopping boards, stainless steel bottom grids that protect the bottom of the sink bowls, to colanders, trays, and even dish racks, the addition of Kindred accessories for your sink is a smart way to expand your sink's function and make it work for you.



Kindred Undermount Series

Value is good...

Take a look at Kindred Collection Undermount Series and see if you don't agree \dots

- 9" deep bowls are deep enough to contain any water splashing
- Silk finish sink bowls and sink deck are warm in appearance and easy to maintain
- Heavy 18 gauge and high Nickel 18/10 stainless steel ... make for a superior quality product
- Tight radius bowl corners increase sink bowl capacity
- Straight clean bowl shapes, and sink bowl drain lines, complement the very popular commercial kitchen of today
- Optional accessories simplify meal preparation

We hope that you agree.

KINDRED COLLECTION • UNDERMOUNT SERIES • 18 GAUGE, 18-10 STAINLESS STEEL

KSD1UA/9D


\$1,203.00



Undermount model

(1)

Shipping Weight 23.1 lbs. (10.5 kg.)



Outside sink rim dimensions 18 3/4" FB x 32 7/8" LR Equal size bowl dimensions 17" FB x 15" LR x 9" DP

Rear drain wastehole locations

FUN# 122.0183.144

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings


KSD2UA/9D

\$1,051.00



Undermount model

Shipping Weight 23.1 lbs. (10.5 kg.)



Outside sink rim dimensions 17 3/4" FB x 30 7/8" LR Equal size bowl dimensions 16" FB x 14" LR x 9" DP

Rear drain wastehole locations

FUN# 122.0183.146

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES



















SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings


KSDCRU/9

\$1,236.00



Undermount model

Shipping Weight 26.0 lbs. (11.8 kg.)



Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR

Rear drain wastehole locations

FUN# 122.0045.000

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES



























SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


KSDCLU/9

\$1,236.00



Undermount model

Shipping Weight 26.0 lbs. (11.8 kg.)



Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0044.995

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES













SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

KINDRED COLLECTION - UNDERMOUNT SERIES - 18 GAUGE, 18-10 STAINLESS STEEL

KSDC1RUA/9D


\$1,236.00



Undermount model

(1)

Shipping Weight 26.0 lbs. (11.8 kg.)



Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0183.147

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

KSD10A

KF10A





associate to determine correct hole drillings

associate to determine

Speak to a showroom associate to determine

correct hole drillings

KSD10A correct hole drillings


KSDC1LUA/9D

\$1,236.00



Undermount model

Shipping Weight 26.0 lbs. (11.8 kg.)



Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0183.148

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES

KSCM3RUA/9D

\$1,134.00










(1)

Undermount model

Shipping Weight 31.2 lbs. (14.2 kg.)



Outside sink rim dimensions 18 3/4" FB x 31 7/8" LR Large bowl dimensions 17" FB x 15" LR x 9" DP Small bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole locations

FUN# 122.0183.150

33" cabinet - minimum to accept sink bowls



OPTIONAL ACCESSORIES





















C09S

KSCM4RUA/9D

\$1,040.00



OPTIONAL ACCESSORIES














Undermount model

Shipping Weight 18.0 lbs. (8.2 kg.)



Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR Large bowl dimensions 17" FB x 15" LR x 9" DP Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0183.152

30" cabinet - minimum to accept sink bowls

SUGGESTED KINDRED FITTINGS



KF10A



Speak to a showroom associate to determine correct hole drillings

KINDRED COLLECTION • UNDERMOUNT SERIES • 18 GAUGE, 18-10 STAINLESS STEEL


KSC1RUA/9D

\$1,346.00



Undermount model

Shipping Weight 18.8 lbs. (8.5 kg.)



Outside sink rim dimensions 18 3/4" FB x 32 7/8" LR Large bowl dimensions 17" FB x 18" LR x 9" DP Small bowl dimensions 17" FB x 12" LR x 8" DP

Rear drain wastehole locations

FUN# 122.0183.153

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES













(1)

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings









C095


KSC1LUA/9D

\$1,346.00



Undermount model

Shipping Weight 18.8 lbs. (8.5 kg.)



Outside sink rim dimensions 18 3/4" FB x 32 7/8" LR Large bowl dimensions 17" FB x 18" LR x 9" DP Small bowl dimensions 17" FB x 12" LR x 8" DP

Rear drain wastehole locations

FUN# 122.0183.154

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











BGA1217S BGA1817S MB100

DBR10S

C095

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


KSC2RUA/9D

\$1,053.00



Undermount model

Shipping Weight 19.9 lbs. (9.0 kg.)



Outside sink rim dimensions 18 3/4" FB x 29 7/8" LR Large bowl dimensions 17" FB x 15" LR x 9" DP Small bowl dimensions 17" FB x 12" LR x 8" DP

Rear drain wastehole locations

FUN# 122.0183.155

30" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES























C09S





SUGGESTED KINDRED FITTINGS

Speak to a showroom associate to determine correct hole drillings


KSCM1RUA/9D

\$1,622.00



Undermount model

Shipping Weight 33.0 lbs. (15.0 kg.)



Large bowl dimensions 19 3/4" FB x 18" LR x 9" DP Small bowl dimensions 17" FB x 12" LR x 8" DP

Rear drain wastehole locations

FUN# 122.0183.157

24" x 36" cabinet - recommended minimum for Kindred install method

Outside sink rim dimensions 21 1/2" FB x 32 7/8" LR

OPTIONAL ACCESSORIES













SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

KINDRED COLLECTION - UNDERMOUNT SERIES - 18 GAUGE, 18-10 STAINLESS STEEL


KST1UA/9D

\$1,736.00



Undermount model

Shipping Weight 33.4 lbs. (15.2 kg.)



Outside sink rim dimensions 18 3/4" FB x 41" LR Large bowl dimensions 17" FB x 15" LR x 9" DP Small bowl dimensions 14 1/16" FB x 7" LR x 5 1/2" DP

Rear drain wastehole locations

FUN# 122.0183.159

42" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES



BGA1517S BGA1517S











(1)

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


KSS6UA/9D

\$815.00



Undermount model

Shipping Weight 14.8 lbs. (6.7 kg.)



Outside sink rim dimensions 18 3/4" FB x 24 3/4" LR Single bowl dimensions 17" FB x 23" LR x 9" DP

Rear drain wastehole location

FUN# 122.0183.160

27" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









BGA2317S MB100

DBR10S

SUGGESTED KINDRED FITTINGS





SUGGESTED KINDRED FITTINGS

KSD10A

Speak to a showroom associate to determine correct hole drillings

Speak to a showroom associate to determine

correct hole drillings


KSS5UA/9D

\$859.00



Undermount model

Shipping Weight 26.3 lbs. (11.9 kg.)



Outside sink rim dimensions 19 1/8" FB x 30 1/8" LR Single bowl dimensions 17" FB x 28" LR x 9" DP

Rear drain wastehole location

FUN# 122.0183.161

30" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES












BG90S MB100 DBR10S

Undermount model

Shipping Weight 35. lbs. (15.9 kg.)



Outside sink rim dimensions 18 3/4" FB x 32 3/4" LR Single bowl dimensions 17" FB x 31" LR x 9" DP

Rear drain wastehole location

FUN# 122.0183.162

33" cabinet - minimum to accept sink bowl

KSS7UA/9D

\$873.00



OPTIONAL ACCESSORIES









SUGGESTED KINDRED FITTINGS



KF10A



Sneak to a showroom associate to determine correct hole drillings

KINDRED COLLECTION • UNDERMOUNT SERIES • 18 GAUGE, 18-10 STAINLESS STEEL


KSSXUA/9D

\$716.00



Undermount model

Shipping Weight 20.3 lbs. (9.2 kg.)



Outside sink rim dimensions 20 7/8" FB x 23 3/8" LR Single bowl dimensions 18 3/4" FB x 21 1/4" LR x 9" DP

Rear drain wastehole location

FUN# 122.0183.163

24" cabinet - minimum to accept sink bowl





OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


KSS2UA/9D

\$677.00



Undermount model

Shipping Weight 16.0 lbs. (7.3 kg.)



Outside sink rim dimensions 20 5/8" FB x 19 7/8" LR Single bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP

Rear drain wastehole location

FUN# 122.0183.164

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES







BG30S MB100

C095

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


KSS4UA/9D

\$708.00



Undermount model

Shipping Weight 9.9 lbs. (4.5 kg.)



Outside sink rim dimensions 18 3/4" FB x 16 3/4" LR Single bowl dimensions 17" FB x 15" LR x 9" DP

Rear drain wastehole location

FUN# 122.0183.165

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES










DBR10S

C09S

Undermount model

Shipping Weight 13.2 lbs. (6.0 kg.)



Outside sink rim dimensions 18 3/4" FB x 13 3/4" LR Single bowl dimensions 17" FB x 12" LR x 8" DP

Rear drain wastehole location

FUN# 122.0183.167

18" cabinet - minimum to accept sink bowl

KSS8UA/8D

BGA1517S MB100

\$686.00



OPTIONAL ACCESSORIES







C095

SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

KSD10A

KF10E





Speak to a showroom associate to determine correct hole drillings

Speak to a showroom associate to determine

correct hole drillings

KINDRED COLLECTION - UNDERMOUNT SERIES - 18 GAUGE, 18-10 STAINLESS STEEL


KSS3UA/7D

\$447.00



Undermount model

Shipping Weight 13.2 lbs. (6.0 kg.)



Outside sink rim dimensions 18 1/8" FB x 12 3/4" LR Single bowl dimensions 16" FB x 10 5/8" LR x 7" DP Rear drain wastehole location

FUN# 122.0183.168

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES







SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


KSS1UA/5D

\$402.00



Undermount model

Shipping Weight 7.0 lbs. (3.2 kg.)



Outside sink rim dimensions 16 3/16" FB x 9 1/8" LR Single bowl dimensions 14 1/16" FB x 7" LR x 5 1/2" DP

Center drain wastehole location

FUN# 122.0183.169

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



C20S

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

KSR1UA/9

\$777.00



Undermount model

Shipping Weight 13.0 lbs. (5.9 kg.)



Outside sink rim dimensions 18 1/8" diameter Single bowl dimensions 16" diameter x 9" DP

Center drain wastehole location

FUN# 122.0183.170

18" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings



Kindred Collection Undermount Vanity Basins

Smart and Stylish

No longer simply utilitarian spaces, bathrooms and powder rooms are now a canvas to create a personal statement in luxury and design. Kindred stainless steel vanity basins satisfy with sanitary, robust, easy to maintain materials.

The overall effect is a design that seamlessly complements many styles and decorating schemes.

With an array of shapes and sizes, a Kindred Collection undermount vanity basin in stainless steel will satisfy the most discerning tastes.

KINDRED COLLECTION - UNDERMOUNT VANITY BASINS - 18 GAUGE, 18-10 STAINLESS STEEL


KSOWB1119U/5

\$364.00

 ${}_{\mathbb{C}}UPC @$

Shipping Weight 8.8 lbs. (4.0 kg.)

Undermount model



Outside sink rim dimensions 11" FB x 19" LR Single bowl dimensions 9" FB x 17" LR x 4 1/2" DP

Includes front overflow waste assembly 1 1/4" waste opening

Waste fitting not included

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES






KSOWB1420U/5

\$499.00



Undermount model

Shipping Weight 8.8 lbs. (4.0 kg.)



Outside sink rim dimensions 14" FB x 20" LR Single bowl dimensions 12" FB x 18" LR x 4 1/2" DP

Includes front overflow waste assembly 1 1/4" waste opening

Waste fitting not included

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



125GOWK


KSOV1420U/7

\$572.00



Undermount model

Shipping Weight 12.1 lbs. (5.5 kg.)



Outside sink rim dimensions 13 11/16" FB x 20 1/4" LR Single bowl dimensions 11 7/16" FB x 18" LR x 7" DP

Includes front overflow waste assembly 1 1/4" waste opening

Waste fitting not included

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



125GOWK


KSOV1317U/7

\$465.00



Undermount model

Shipping Weight 6.0 lbs. (2.7 kg.)



Outside sink rim dimensions 13 1/4" FB x 17 7/16" LR Single bowl dimensions 11" FB x 15 3/16" LR x 7" DP

Includes front overflow waste assembly 1 1/4" waste opening

Waste fitting not included

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES





KINDRED COLLECTION - UNDERMOUNT VANITY BASINS - 18 GAUGE, 18-10 STAINLESS STEEL

KSOV1318U/7


\$400.00



Undermount model

(1)

Shipping Weight 12.5 lbs. (5.7 kg.)



Outside sink rim dimensions 13 3/8" FB x 17 7/8" LR Single bowl dimensions 11" FB x 15 1/2" LR x 7" DP

Includes front overflow waste assembly 1 1/4" waste opening

Waste fitting not included

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



125GOWK


KSOV18U/7

\$418.00



Undermount model

Shipping Weight 6.3 lbs. (2.9 kg.)



Outside sink rim dimensions 18 1/4" diameter Single bowl dimensions 16" diameter x 7" DP

Includes front overflow waste assembly 1 1/4" waste opening

Waste fitting not included

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



125GOWK


KSOV16U/7

\$394.00



Undermount model

Shipping Weight 9.0 lbs. (4.1 kg.)



Outside sink rim dimensions 16 1/4" diameter Single bowl dimensions 14" diameter x 7" DP

Includes front overflow waste assembly 1 1/4" waste opening

Waste fitting not included

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



125GOWK



Kindred Collection Topmount Vanity Basins

Looking for a change for your powder room, something easy to clean and care for? Stainless steel vanity basins may be just the answer! Kindred Collection stainless steel vanity basins are color fast, with a bright and hygienic surface that can not chip or be scrubbed off. And, Kindred stainless steel vanity basins have chameleon qualities when it comes to fitting in with any color scheme. Good looks, easy to clean, sparkling harmony - a smart and stylish addition to any powder room.


KSOV1821/7





Topmount model

Shipping Weight 12.1 lbs. (5.5 kg.)



Outside sink rim dimensions 18" FB x 21" LR Single bowl dimensions 11 7/16" FB x 18" LR x 7" DP

Faucet ledge Includes front overflow assembly 1 1/4" waste opening

Waste fitting not included

Standard drilling: KSOV1821/7/3 - 3 hole - 1 1/8" diameter, 4" centers Optional drilling: KSOV1821/7/3-4 - 3 hole, 1 1/2" diameter, 8" centers Optional drilling: KSOV1821/7/1 - 1 hole on center

24" cabinet - recommended minimum

KSOV1821/7/3-4 - LIMITED AVAILABILITY

OPTIONAL ACCESSORIES



KINDRED COLLECTION - TOPMOUNT VANITY BASINS - 18 GAUGE, 18-10 STAINLESS STEEL

KSOV1619/7

\$339.00






OPTIONAL ACCESSORIES



125GOWK

Topmount model

Shipping Weight 6.0 lbs. (2.7 kg.)



Outside sink rim dimensions 16 3/8" FB x 18 1/2" LR Single bowl dimensions 11" FB x 15 3/16" LR x 7" DP

Faucet ledge

Includes front overflow assembly 1 1/4" waste opening Waste fitting not included

Standard drilling: KSOV1619/7/3 - 3 hole, 1 1/8" diameter, 4" centers Optional drilling: KSOV1619/7/1 - 1 hole on center

21" cabinet - recommended minimum


KSOV1418/7

\$323.00



Topmount model

Shipping Weight 12.5 lbs. (5.7 kg.)



Outside sink rim dimensions 13 3/4" FB x 17 3/4" LR Single bowl dimensions 11" FB x 15 1/2" LR x 7" DP

Includes front overflow assembly

1 1/4" waste opening Waste fitting not included

21" cabinet - recommended minimum

OPTIONAL ACCESSORIES



125GOWK

KSOV19/7 \$329.00




OPTIONAL ACCESSORIES



125GOWK

Topmount model





Outside sink rim dimensions 18 3/4" diameter Single bowl dimensions 16" diameter x 7" DP

Includes front overflow assembly 1 1/4" waste opening

Waste fitting not included

21" cabinet - recommended minimum

KSOV17/7


\$315.00



(1)

Topmount model





Outside sink rim dimensions 16 3/4" diameter Single bowl dimensions 14" diameter x 7" DP


Includes front overflow assembly 1 1/4" waste opening

Waste fitting not included 21" cabinet - recommended minimum

OPTIONAL ACCESSORIES



125GOWK



KINDRED COLLECTION GRANITE

Kindred Granite Series

Evolution means constant change with a goal of improvement. Whether we're talking salamanders or sinks, to evolve means to change and adapt to new requirements, and to see benefit from those changes.

Kindred Granite models have evolved from first generation composite products to fourth generation leading edge designs and colors to Sanitized® silver materials.

Let us count the ways that Kindred Granite stands apart from the crowd...

- Kindred Granite patented DuraKleen finish is smooth to the touch and easy to clean
- Kindred Granite is homogeneous
- Kindred Granite has a soft matte finish
- Kindred Granite boasts a tolerance for high temperatures up to 280 degrees Celsius
- Kindred Granite is colorfast
- Kindred Granite is scratch resistant
- Kindred Granite has superior thermal shock characteristics
- Kindred Granite feels warm to the touch and will insulate hot water
- Kindred Granite sinks are quiet
- Kindred Granite colors are available in color matched faucets and soap dispensers

Kindred Granite sinks ... an inspired idea that has come of age!



Kindred Granite - Mythos Series

A Stunning Alternative

When stainless steel won't do may we recommend granite sinks for your kitchen. Moulded of tough, hard wearing and easy-to-clean materials granite is a great alternative.

With its fashionable and contemporary lines our Kindred Mythos granite sinks are in five fantastic colors. Don't be surprised when you open the box and find a stainless steel bottom grid packed right in with the sink, it's always included. For a completely coordinated look Kindred offers color matched faucets in all four granite colors ... simply stunning.

KINDRED GRANITE - MYTHOS SERIES - SANITIZED® COLOUR GRANITE COMPOSITE


KGDL2031/8

\$710.00



Topmount model

Shipping Weight 58.6 lbs. (26.6 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 9/16" LR Equal size bowl dimensions 15 3/8" FB x 13 9/16" LR x 8" DP

Rear drain wastehole locations

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGDL2031/8CH - Champagne FUN# 114.0055.298 KGDL2031/8OS - Oyster FUN# 114.0308.154 KGDL2031/8ES - Espresso FUN# 114.0183.173

NEW! KGDL2031/8SM - Storm FUN# 114.0394.651 KGDL2031/8ON - Onyx FUN# 114.0153.125

33" cabinet - recommended minimum

OPTIONAL ACCESSORIES
















COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



associate to determine correct hole drillings


KGDC2031R/8

\$755.00



Topmount model

Shipping Weight 48.0 lbs. (21.7 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 9/16" LR Large bowl dimensions 15 3/8" FB x 17 1/8" LR x 8" DP Small bowl dimensions 15 3/8" FB x 10 1/16" LR x 7" DP

Rear drain wastehole locations

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGDC2031R/8CH - Champagne FUN# 114.0061.203 KGDC2031R/8OS - Oyster FUN# 114.0308.152 KGDC2031R/8ES - Espresso FUN# 114.0202.022 NEW! KGDC2031R/8SM - Storm FUN# 114.0394.652 KGDC2031R/8ON - Onyx FUN# 114.0183.174

33" cabinet - recommended minimum

OPTIONAL ACCESSORIES
















COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



associate to determine correct hole drillings


KGDC2027R/8

\$715.00



Topmount model

Shipping Weight 41.0 lbs. (18.6 kg.)



Outside sink rim dimensions 20 1/2" FB x 27 3/4" LR Large bowl dimensions 15 3/8" FB x 14" LR x 8" DP Small bowl dimensions 15 3/8" FB x 9 3/16" LR x 7" DP

Rear drain wastehole locations

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGDC2027R/8CH - Champagne FUN# 114.0055.309 KGDC2027R/8OS - Oyster FUN# 114.0308.153 KGDC2027R/8ES - Espresso FUN# 114.0202.023 NEW! KGDC2027R/8SM - Storm FUN# 114.0394.653 KGDC2027R/8ON - Onyx FUN# 114.0183.176

30" cabinet - recommended minimum

OPTIONAL ACCESSORIES
















COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KGSL2031/8

\$767.00



Topmount model

Shipping Weight 35.0 lbs. (15.3 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 9/16" LR Single bowl dimensions 15 3/8" FB x 28 7/16" LR x 8" DP

Rear drain wastehole location

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGSL2031/8CH - Champagne FUN# 114.0055.323 KGSL2031/8OS - Oyster FUN# 114.0308.155 KGSL2031/8ES - Espresso FUN# 114.0202.024 NEW! KGSL2031/8SM - Storm FUN# 114.0394.654 KGSL2031/8ON - Onyx FUN# 114.0183.177

33" cabinet - recommended minimum

OPTIONAL ACCESSORIES











COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom correct hole drillings

KINDRED GRANITE • MYTHOS SERIES • SANITIZED® COLOUR GRANITE COMPOSITE


KGSL2023/8

\$695.00



Topmount model

Shipping Weight 33.0 lbs. (14.9 kg.)



Outside sink rim dimensions 20 1/2" FB x 23" LR Single bowl dimensions 15 3/8" FB x 19 7/8" LR x 8" DP

Rear drain wastehole location

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGSL2023/8CH - Champagne FUN# 114.0055.318 KGSL2023/8OS - Oyster FUN# 114.0308.156 KGSL2023/8ES - Espresso FUN# 114.0183.181 NEW! KGSL2023/8SM - Storm FUN# 114.0394.655 KGSL2023/8ON - Onyx FUN# 114.0183.179

27" cabinet - recommended minimum

OPTIONAL ACCESSORIES











COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Sneak to a showroom associate to determine correct hole drillings


KGSL2017/8

\$602.00



Topmount model

Shipping Weight 36.0 lbs. (16.4 kg.)



Outside sink rim dimensions 20 1/2" FB x 16 3/4" LR Single bowl dimensions 15 3/8" FB x 13 9/16" LR x 8" DP

Rear drain wastehole location

Standard drilling: 1 hole, knockouts (2) allow holes to be added on-site

KGSL2017/8CH - Champagne FUN# 114.0061.208 KGSL2017/8OS - Oyster FUN# 114.0308.157 KGSL2017/8ES - Espresso FUN# 114.0183.329 NEW! KGSL2017/8SM - Storm FUN# 114.0394.656 KGSL2017/8ON - Onyx FUN# 114.0183.182

18" cabinet - recommended minimum

OPTIONAL ACCESSORIES












C50S RM509

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KGDL2233/9

\$863.00



Topmount model

Shipping Weight 41.0 lbs. (18.8 kg.)



Outside sink rim dimensions 22" FB x 33" LR Equal size bowl dimensions 16 5/8" FB x 14 5/16" LR x 8" DP

Rear drain wastehole location

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGDL2233/9CH - Champagne FUN# 114.0055.328 KGDL2233/9ES - Espresso FUN# 114.0202.025 KGDL2233/9ON - Onyx FUN# 114.0168.162

36" cabinet - recommended minimum

OPTIONAL ACCESSORIES











RM55S

COLOURS AVAILABLE





SUGGESTED KINDRED FITTINGS



associate to determine correct hole drillings


KGD1U/8

\$762.00



Undermount model

Shipping Weight 47.1 lbs. (21.3 kg.)



Outside sink rim dimensions 18 1/8" FB x 31 9/16" LR Equal size bowl dimensions 15 3/8" FB x 13 9/16" LR x 8" DP

Rear drain wastehole location

KGD1U/8CH - Champagne FUN# 114.0061.222 KGD1U/8OS - Oyster FUN# 125.0308.159 KGD1U/8ES - Espresso FUN# 125.0183.331 NEW! KGD1U/8SM - Storm FUN# 125.0394.657 KGD1U/8ON - Onyx FUN# 125.0183.330

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES



BG180S












COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

KINDRED GRANITE - MYTHOS SERIES - SANITIZED® COLOUR GRANITE COMPOSITE


KGDCR1U/8

\$834.00



Undermount model

Shipping Weight 48.0 lbs. (21.7 kg.)



Outside sink rim dimensions 18 1/8" FB x 31 9/16" LR Large bowl dimensions 15 3/8" FB x 17 1/8" LR x 8" DP Small bowl dimensions 15 3/8" FB x 10 1/16" LR x 7" DP

Rear drain wastehole location

KGDCR1U/8CH - Champagne FUN# 125.0055.314 KGDCR1U/8OS - Oyster FUN# 125.0308.160 KGDCR1U/8ES - Espresso FUN# 125.0202.026 NEW! KGDCR1U/8SM - Storm FUN# 125.0394.658 KGDCR1U/8ON - Onyx FUN# 125.0183.332

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES












RM50S

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



associate to determine correct hole drillings


KGDC2RU/8

\$772.00



Undermount model

Shipping Weight 41.0 lbs. (18.6 kg.)



Outside sink rim dimensions 18 1/8" FB x 27 9/16" LR Large bowl dimensions 15 3/8" FB x 14" LR x 8" DP Small bowl dimensions 15 3/8" FB x 9 3/16" LR x 7" DP

Rear drain wastehole location

KGDC2RU/8CH - Champagne FUN# 114.0061.232 KGDC2RU/8OS - Oyster FUN# 125.0308.172 KGDC2RU/8ES - Espresso FUN# 125.0202.027 NEW! KGDC2RU/8SM - Storm FUN# 125.0394.659 KGDC2RU/8ON - Onyx FUN# 125.0183.334

27" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES














COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



associate to determine correct hole drillings


KGS1U/8

\$807.00



Undermount model

Shipping Weight 35.0 lbs. (15.3 kg.)



Outside sink rim dimensions 18" FB x 31 9/16" LR Single bowl dimensions 15 3/8" FB x 28 7/16" LR x 8" DP

Rear drain wastehole location

KGS1U/8CH - Champagne FUN# 125.0078.233 KGS1U/8OS - Oyster FUN# 125.0308.173 KGS1U/8ES - Espresso FUN# 125.0202.340 NEW! KGS1U/8SM - Storm FUN# 125.0394.660 KGS1U/8ON - Onyx FUN# 125.0183.334

33" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES












COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


KGS2U/8

\$735.00



Undermount model

Shipping Weight 33.0 lbs. (14.9 kg.)



Outside sink rim dimensions 18 1/8" FB x 23" LR Single bowl dimensions 15 3/8" FB x 19 7/8" LR x 8" DP

Rear drain wastehole location

KGS2U/8CH - Champagne FUN# 125.0078.169 KGS2U/8OS - Oyster FUN# 125.0294.941 KGS2U/8ES - Espresso FUN# 125.0183.966 NEW! KGS2U/8SM - Storm FUN# 125.0394.661 KGS2U/8ON - Onyx FUN# 125.0183.335

24" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES





GB50





COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom correct hole drillings

KINDRED GRANITE - MYTHOS SERIES - SANITIZED® COLOUR GRANITE COMPOSITE


KGS3U/8

\$629.00



Undermount model

Shipping Weight 36.0 lbs. (16.3 kg.)



Outside sink rim dimensions 18 1/8" FB x 16 3/4" LR Single bowl dimensions 15 3/8" FB x 13 9/16" LR x 8" DP

Rear drain wastehole location

KGS3U/8CH - Champagne FUN# 125.0078.228 KGS3U/8OS - Oyster FUN# 125.0308.174 KGS3U/8ES - Espresso FUN# 125.0183.966 NEW! KGS3U/8SM - Storm FUN# 125.0394.661 KGS3U/8ON - Onyx FUN# 125.0183.336

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES












COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



associate to determine


KGD2U/9

\$925.00



Undermount model

Shipping Weight 41.0 lbs. (18.8 kg.)



Outside sink rim dimensions 19 3/8" FB x 33" LR Large bowl dimensions 16 5/8 FB x 14 5/16" LR x 9" DP Small bowl dimensions 16 5/8 FB x 14 5/16" LR x 8" DP

Rear drain wastehole location

KGD2U/9CH - Champagne FUN# 114.0061.252 KGD2U/9ES - Espresso FUN# 125.0203.913 KGD2U/9ON - Onyx FUN# 125.0168.161

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



associate to determine



Kindred Granite Co-ordinating Faucets

A Beautiful Addition

Want to know what works well with a Kindred sink? A Kindred Faucet! All the popular finishes are available and while chrome may be considered the kitchen standard we go beyond ordinary to extraordinary with color matched granite faucets to complement your Kindred Granite sink.

It's important to know Kindred faucets have been machined from solid brass castings. Plastic moldings have been restricted to use where this technology is required. We believe that function comes first, not cost savings.

You've selected the sink; now add the finest finishing touch with Kindred faucets.



Sink model QSUA1933/8 and faucet model KF10C

KINDRED STEEL QUEEN

Design and Quality

The Kindred Steel Queen family has a long and proud history in the plumbing industry, where it is known for great value, easy to care for finishes, and sizes and shapes for virtually any room in your home. Choose from Hand Fab sinks with commercial finishes in Apron Front, Undermount and Dualmount models; traditional Topmount and Undermount models with easy care finishes; and even accessorized sinks with silk finished rims, all in great value 20 gauge stainless steel.

Durable by Any Standard

We realize that purchase of a Kindred Steel Queen sink is an important decision. Kindred includes all the essentials that you will need in every Kindred Steel Queen package, time saving installation hardware, factory applied rimseal, illustrated installation instructions, and a template for marking and cutting the countertop. And did we mention that Kindred Steel Queen sinks are easy to install. You don't need to be a master plumber to install our product.



Kindred Steel Queen Topmount

A Popular Choice for Value and Variety

Topmount sinks are a traditional and popular choice for kitchens. And, the Kindred Steel Queen topmount models set the standard, in robust 20 gauge stainless steel, satin finished bowls with mirror finished rims. Select a single, double or combination model with 7" and 8" deep bowls to address wash up or food prep areas.

And that's not all. We also offer a whole host of optional accessories specifically engineered to make your sink do more for you every day, whether you are chopping, rinsing, defrosting, or draining dishes.

Steel Queen topmount sinks offer good value and a variety of size and bowl configurations, all backed with our standard Kindred Lifetime Warranty.

STEEL QUEEN KITCHEN SINKS - TOPMOUNT SERIES - 20 GAUGE, 18-8 STAINLESS STEEL


QDL2031/8

\$499.00



Topmount model

Shipping Weight 18.7 lbs. (8.5 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QDL2031/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0045.182

Optional drilling: QDL2031/8/4 - 4 hole - 4th hole on right hand side FUN# 101.0045.183

Optional drilling: QDL2031/8/1 - 1 hole - 1 hole on center

FUN# 101.0045.180

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES















(1)

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


ODL2031/7

\$409.00



Topmount model

Shipping Weight 17.6 lbs. (8.0 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR Equal size bowl dimensions 16" FB x 14" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QDL2031/7/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0045.177

Optional drilling: QDL2031/7/4 - 4 hole - 4th hole on right hand side FUN# 101.0045.178

Optional drilling: QDL2031/7/1 - 1 hole - 1 hole on center FUN# 101.0045.176

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES









MB1610







(1)



KFPD1100 KSD1100 correct hole drillings

SUGGESTED KINDRED FITTINGS

associate to determine


QD1831/8

\$470.00



Topmount model

Shipping Weight 17.6 lbs. (7.5 kg.)



Outside sink rim dimensions 18 7/16" FB x 31 1/4" LR Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole locations, Spillway® partition

Standard drilling: QD1831/8 - no hole FUN# 101.0045.147

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES















SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QDLA2233/8

\$685.00



Topmount model

Shipping Weight 22.4 lbs. (10.2 kg.)



Outside sink rim dimensions 22" FB x 33 3/8" LR Equal size bowl dimensions 17" FB x 15" LR x 8" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QDLA2233/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0169.265

Optional drilling: QDLA2233/8/1 - 1 hole - 1 hole on center FUN# 101.0169.264

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES













SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN KITCHEN SINKS • TOPMOUNT SERIES • 20 GAUGE, 18-8 STAINLESS STEEL


QCMA1826/7

\$479.00



Topmount model

Shipping Weight 15.0 lbs. (6.7 kg.)



Outside sink rim dimensions 18 1/8" FB x 26 1/2" LR Large bowl dimensions 16" FB x 14" LR x 7" DP Rear drain wastehole location Small bowl dimensions 11 5/8" FB x 9 1/4" LR x 6" DP Centre drain wastehole location

Faucet ledge, Spillway® partition

Standard drilling: QCMA1826/7/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0045.110 Optional drilling: QCMA1826/7/1 - 1 hole - 1 1/2" dia., left hand side FUN# 101.0203.912

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES













SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QCLA2031R/8

\$702.00



Topmount model

Shipping Weight 17.8 lbs. (8.0 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR Large bowl dimensions 16" FB x 18" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QCLA2031R/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0201.838

Optional drilling: QCLA2031R/8/1 - 1 hole - 1 hole on center FUN# 101.0201.835

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES













SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine KFPD1100 KSD1100 correct hole drillings


QCLA2031L/8

\$702.00



Topmount model

Shipping Weight 17.8 lbs. (8.0 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR Large bowl dimensions 16" FB x 18" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QCLA2031L/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0201.844

Optional drilling: QCLA2031L/8/1 - 1 hole - 1 hole on center FUN# 101.0201.842

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











DBR10S

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QCLA2027R/8

\$675.00



Topmount model

Shipping Weight 15.9 lbs. (7.2 kg.)



Outside sink rim dimensions 20 9/16" FB x 27 1/4" LB Large bowl dimensions 16" FB x 14" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QCLA2027R/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0202.031

Optional drilling: QCLA2027R/8/1 - 1 hole - 1 hole on center FUN# 101.0202.029

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES















SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine

STEEL QUEEN KITCHEN SINKS - TOPMOUNT SERIES - 20 GAUGE, 18-8 STAINLESS STEEL


QCLA2027L/8

\$675.00



Topmount model

Shipping Weight 15.9 lbs. (7.2 kg.)



Outside sink rim dimensions 20 9/16" FB x 27 1/4" LR Large bowl dimensions 16" FB x 14" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QCLA2027L/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0202.172

Optional drilling: QCLA2027L/8/1 - 1 hole - 1 hole on center FUN# 101.0202.160

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











(1)

SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings












OCM2033/8

\$662.00



Topmount model

Shipping Weight 15.0 lbs. (6.7 kg.)



Outside sink rim dimensions 20 1/8" FB x 33 1/4" LR Large bowl dimensions 18" FB x 16" LR x 8" DP Small bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole locations, faucet ledge

Optional drilling: QCM2033/8/1 - 1 hole - 1 hole on center FUN# 101.0062.342

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine KFPD1100 KSD1100 correct hole drillings


QSL2020/8

\$308.00



Topmount model

Shipping Weight 12.0 lbs. (5.5 kg.)



Outside sink rim dimensions 20 1/2" FB x 20" LR Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location, faucet ledge

Standard drilling: QSL2020/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0045.230

Optional drilling: QSL2020/8/4 - 4 hole - 4th hole on right hand side FUN# 101.0045.231

Optional drilling: OSL2020/8/1 - 1 hole - 1 hole on center FUN# 101.0045.229

24" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











DBR10S





Speak to a showroom associate to determine correct hole drillings


QSL2020/7

\$245.00



Topmount model

Shipping Weight 11.0 lbs. (4.9 kg.)



Outside sink rim dimensions 20 1/2" FB x 20" LR Single bowl dimensions 16" FB x 18" LR x 7" DP

Rear drain wastehole location, faucet ledge

Standard drilling: QSL2020/7/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0045.226 Optional drilling: QSL2020/7/4 - 4 hole - 4th hole on right hand side

FUN# 101.0045.227 Optional drilling: QSL2020/7/1 - 1 hole - 1 hole on center FUN# 101.0045.225

24" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN KITCHEN SINKS - TOPMOUNT SERIES - 20 GAUGE, 18-8 STAINLESS STEEL


OSLA2225/8

\$486.00



Topmount model

Shipping Weight 15.2 lbs. (6.9 kg.)



Outside sink rim dimensions 22" FB x 25 1/4" LR Single bowl dimensions 17" FB x 23" LR x 8" DP

Rear drain wastehole location, faucet ledge

Standard drilling: QSLA2225/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0169.279

Optional drilling: QSLA2225/8/1 - 1 hole - 1 hole on center FUN# 101.0169.278

27" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES









BGA2317S MB1809

SUGGESTED KINDRED FITTINGS






OSLA2031/8

\$550.00



Topmount model

Shipping Weight 19.5 lbs. (8.8 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR Single bowl dimensions 16" FB x 29" LR x 8" DP

Rear drain wastehole location, faucet ledge

Standard drilling: QSLA2031/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0202.187

Optional drilling: QSLA2031/8/1 - 1 hole - 1 hole on center FUN# 101.0202.185

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES









CA1W

DBR10S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine


QSLA2233/8

\$555.00



Topmount model

Shipping Weight 25.0 lbs. (11.4 kg.)



Outside sink rim dimensions 22" FB x 33 3/8" LR Single bowl dimensions 17" FB x 31" LR x 8" DP

Rear drain wastehole location, faucet ledge

Standard drilling: QSLA2233/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0169.276

Optional drilling: OSLA2233/8/1 - 1 hole - 1 hole on center FUN# 101.0169.275

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES

BGA3117S MB1809









DBR10S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



Kindred Steel Queen Fabricated Kitchen Sinks

Every Steel Queen 20 gauge fabricated sink is created to exacting specifications, with tight corners, and robust commercial satin finishes on all surfaces. As with all Steel Queen products, we include waste fittings, sound dampening pads, undercoating, rim seal, installation hardware, template and illustrated installation instructions, to ensure that you have everything you need.

Apron Front

Steel Queen apron front sinks are available in single bowl and double bowl models, both of which are shipped complete with stainless steel bottom grids, right in the sink carton. A sweeping bow front is sure to stand out in your kitchen whether installed flush with the countertop, below it, or slightly elevated.

Dualmount

Born of innovative design, with an eye to versatility, Steel Queen Dualmount models embrace contemporary design at a mid price point. Steel Queen dualmount models feature a remarkably flat deck to allow for installation as a topmount or below the counter as an undermount.

STEEL QUEEN FABRICATED SINKS - APRON FRONT & DUALMOUNT - 20 GAUGE, 18-8 STAINLESS STEEL


QDFS31B

\$1,141.00



_CUPC®

Apron front model Zero radius corners Shipping Weight 55.3 lbs. (24.7 kg.)



Outside sink dimensions 20" FB x 32 7/8" LR Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location

Bowls are pitched to the center of the wastehole

Standard drilling: QDFS31B - no hole FUN# 123.0285.882

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES





BGDS14S

BGDS14S Included

SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

KFPD1150 KSD1150 correct hole drillings



Speak to a showroom associate to determine correct hole drillings

Speak to a showroom associate to determine


QSFS31B

\$1,096.00



Apron front model Zero radius corners

Shipping Weight 55.3 lbs. (24.7 kg.)



Outside sink dimensions 20 11/16" FB x 32 7/8" LR Equal size bowl dimensions 15 15/16" FB x 30" LR x 8" DP

Rear drain wastehole location Bowl is pitched to the center of the wastehole

Standard drilling: QSFS31B - no hole FUN# 123.0285.886

33" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES




QDLF2233/8

\$1,004.00



Shipping Weight 19.3 lbs. (8.8 kg.)



Outside sink dimensions 22" FB x 33 1/4" LR Equal size bowl dimensions 17" FB x 15" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QDLF2233/8/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.930 Optional drilling: QDLF2233/8/1 - 1 hole on center

FUN# 101.0191.929

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS






ODLF2031/8

\$782.00

_CUPC®

_CUPC®

Topmount or undermount model Zero radius corners Shipping Weight 16.0 lbs. (7.3 kg.)



Outside sink dimensions 20 9/16" FB x 31 1/4" LR Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QDLF2031/8/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.924 Optional drilling: QDLF2031/8/1 - 1 hole on center FUN# 101.0191.923

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES



BGZ14S



DBR10S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine

STEEL QUEEN FABRICATED SINKS - DUALMOUNT - 20 GAUGE, 18-8 STAINLESS STEEL

QCLF2031R/8


\$783.00

cUPC®



Topmount or undermount model Zero radius corners

Shipping Weight 17.9 lbs. (8.1 kg.)



Outside sink dimensions 20 9/16" FB x 31 1/4" LR Large bowl dimensions 16" FB x 18" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QCLF2031R/8/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.927

Optional drilling: QCLF2031R/8/1 - 1 hole on center FUN# 101.0191.926

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


BGZ18S BGZ10S

QCLF2027R/8

\$912.00


_CUPC®





Topmount or undermount model Zero radius corners

Shipping Weight 16.1 lbs. (7.3 kg.)



27 1/4" [69cm]

Outside sink dimensions 20 9/16" FB x 27 1/4" LR Large bowl dimensions 16" FB x 14" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QCLF2027R/8/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.921

Optional drilling: QCLF2027R/8/1 - 1 hole on center FUN# 101.0191.920

27" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine

QCLF2039DBR/8


\$1,042.00

_CUPC®



Topmount or undermount model Zero radius corners

Shipping Weight 18.7 lbs. (8.5 kg.)



Outside sink dimensions 20 9/16" FB x 39 3/8" LR Large bowl dimensions 16" FB x 14" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QCLF2039DBR/8/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.933 Optional drilling: QCLF2039DBR/8/1 - 1 hole on center FUN# 101.0191.932

27" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











MB1610 DBR10S

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QSLF2225/8

\$647.00

_CUPC®

Topmount or undermount model Zero radius corners

Shipping Weight 13.0 lbs. (5.9 kg.)



Outside sink dimensions 22" FB x 25 1/8" LR Single bowl dimensions 17" FB x 23" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2225/8/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.918 Optional drilling: QSLF2225/8/1 - 1 hole on center FUN# 101.0191.917

27" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES







MBZ17 DBR10S

SUGGESTED KINDRED FITTINGS



Speak to a showroom

STEEL QUEEN FABRICATED SINKS - DUAL MOUNT - 20 GAUGE, 18-8 STAINLESS STEEL

QSLF2020/8


\$577.00

_CUPC®



Topmount or undermount model Zero radius corners

Shipping Weight 10.5 lbs. (4.7 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/8/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.915

Optional drilling: QSLF2020/8/1 - 1 hole on center FUN# 101.0191.914

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









SUGGESTED KINDRED FITTINGS



associate to determine KEPD1150 KSD1150 correct hole drillings

QSLF1717/7


\$526.00





Topmount or undermount model Zero radius corners

Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 17" FB x 17" LR

Single bowl dimensions 12 7/16" FB x 14 7/8" LR x 7" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF1717/7/2 - 2 hole - 1 1/2" dia., 4" center-to center FUN# 101.0307.431

Optional drilling: QSLF1717/7/1 - 1 hole on center FUN# 101.0307.432

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES



BGZ1512S

SUGGESTED KINDRED FITTINGS



Speak to a showroom


QSLF2016/8/2

\$632.00



Topmount or undermount model Zero radius corners

Shipping Weight 9.0 lbs. (4.1 kg.)



Outside sink dimensions 20 9/16" FB x 16 1/8" LR Single bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2016/8/2 - 2 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.913

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









BGZ14S MBZ16 DBR10S

SUGGESTED KINDRED FITTINGS






Speak to a showroom associate to determine correct hole drillings

QSLF2016/8

\$632.00

_CUPC®

Topmount or undermount model Zero radius corners Shipping Weight 9.0 lbs. (4.1 kg.)



Outside sink dimensions 20 9/16" FB x 16 1/8" LR Single bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2016/8/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0191.912 Optional drilling: QSLF2016/8/1 - 1 hole on center FUN# 101.0191.911

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES







DBR10S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine

STEEL QUEEN FABRICATED SINKS - DUAL MOUNT - 20 GAUGE, 18-8 STAINLESS STEEL

QSLF2020/10


\$853.00

cUPC®



Topmount or undermount model 25 mm radius coved corners

Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 10" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/10/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0293.893

Optional drilling: QSLF2020/10/1 - 1 hole on center FUN# 101.0300.792

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









SUGGESTED KINDRED FITTINGS





associate to determine KFPD1150 KSD1150 correct hole drillings


QSLF2020/12

\$999.00



Topmount or undermount model 25 mm radius coved corners

Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 12" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/12/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0300.898 Optional drilling: QSLF2020/12/1 - 1 hole on center FUN# 101.0300.801

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES







BGZ18S DBR10S MBZ16

SUGGESTED KINDRED FITTINGS



associate to determine



Cuisinette Accessorized Sinks

Simply Perfect

When is a sink more than just a sink? When it's an accessorized Cuisinette sink. This unique collection offers added value in both function and finish. The robust 20 gauge stainless steel topmount offering features easy to clean satin finished bowls and silk finished rims for a sparkling centerpiece sink, and sink accessories included right in the sink package.

A variety of bowl shapes, sizes and configurations all with an easy care finish and accessories included – what could be simpler?

STEEL QUEEN CUISINETTE ACCESSORIZED TOPMOUNT SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


CDLA2031/8S

\$685.00



Topmount model

Shipping Weight 18.7 lbs. (8.5 kg.)



Outside sink dimensions 20 1/2" FB x 31 1/4" LR Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location, faucet ledge and Spillway® partition

Standard drilling: CDLA2031/8S/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0202.193

Optional drilling: CDLA2031/8S/1 - 1 hole on center FUN# 101.0202.191

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES













SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

KSD150

SUGGESTED KINDRED FITTINGS

KSD150

KFPOS150





Speak to a showroom associate to determine correct hole drillings

> Speak to a showroom associate to determine

> Speak to a showroom associate to determine

correct hole drillings


CDC2031R/8S

\$720.00



Topmount model

Shipping Weight 25.5 lbs. (11.6 kg.)



Outside sink dimensions 20 5/8" FB x 31 1/2" LR Large bowl - 18 1/2" FB x 17 3/4" LR x 8" DP Small bowl - 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole location, faucet ledge and Spillway® partition

Standard drilling: CDC2031R/8S/1 - 1 hole on center, 1 1/2" dia. FUN# 101.0062.321

Optional drilling: CDC2031R/8S/2 - 2nd hole, left FUN# 101.0062.322

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



\$720.00






BG35S BG30S Included! Included!

CDC2031L/8S

Topmount model

(1)

Shipping Weight 25.5 lbs. (11.6 kg.)



Outside sink dimensions 20 5/8" FB x 31 1/2" LR Large bowl - 18 1/2" FB x 17 3/4" LR x 8" DP Small bowl - 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole location, faucet ledge and Spillway® partition

Standard drilling: CDC2031L/8S/1 - 1 hole on center, 1 1/2" dia. FUN# 101.0062.324

Optional drilling: CDC2031R/8S/2 - 2nd hole, right FUN# 101.0062.325

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES








BG30S BG35S Included! Included!

CCLA2027R/8S

Topmount model



Shipping Weight 16.1 lbs. (7.3 kg.)



Outside sink dimensions 20 9/16" FB x 27 1/4" LR Large bowl - 16" FB x 14" LR x 8" DP Small bowl - 16" FB x 10" LR x 7" DP

Rear drain wastehole location, faucet ledge and Spillway® partition

Standard drilling: CCLA2027R/8S/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0202.199

Optional drilling: CCLA2027R/8S/1 - 1 hole on center FUN# 101.0202.197

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES















SUGGESTED KINDRED FITTINGS



KFPOS150



Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN CUISINETTE ACCESSORIZED TOPMOUNT SINKS • 20 GAUGE, 18-8 STAINLESS STEEL

CSLA2020/8S


\$400.00



Topmount model

(1)

Shipping Weight 12.0 lbs. (5.5 kg.)



Outside sink dimensions 20 1/2" FB x 20" LR Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location

Standard drilling: CSLA2020/8S/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0202.308

Optional drilling: CSLA2020/8S/1 - 1 hole on center FUN# 101.0202.245

24" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


CSX2123/8S

\$484.00



Topmount model

Shipping Weight 19.2 lbs. (8.7 kg.)



Outside sink dimensions 20 7/8" FB x 23 3/8" LR Single bowl dimensions 18 3/4" FB x 21 1/4" LR x 8" DP

Rear drain wastehole location

Standard drilling: CSX2123/8S/1R - 1 hole (right), 1 1/2" diameter FUN# 101.0062.336 Optional drilling: CSX2123/8S/1L - 1 hole (left), 1 1/2" diameter

FUN# 101.0062.337 Optional drilling: CSX2123/8S/2 - 2 hole, as shown

FUN# 101.0062.338

27" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES





BG20S

MB20

SUGGESTED KINDRED FITTINGS





associate to determine KFPOS150 KSD150 correct hole drillings



Kindred Steel Queen Undermount Sinks

Value and Durability

An undermount sink is a sparkling companion to a solid surface kitchen countertop. Steel Queen undermount models are available in single, double and combination models for kitchen, laundry and hospitality use.

Wherever you need a durable, dependable sink that keeps its shine year after year the Steel Queen Undermount delivers. This collection includes sink bowls in either 7 or 8 inch depth with a satin finish and decks done with a mirror finish.

All Steel Queen undermount models are shipped ready to install with everything you need including template and instructions – and of course the standard Kindred Lifetime Warranty.


QDUA1933/8

\$568.00



Undermount model

Shipping Weight 17.2 lbs. (7.8 kg.)



Outside sink dimensions 18 3/4 FB x 32 7/8" LR Equal size bowl dimensions 17" FB x 15" LR x 8" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0170.394

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











(1)

SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings

BGA1517S BGA1517S MB100


ODUA1831/8

\$499.00



Undermount model

Shipping Weight 17.1 lbs. (7.8 kg.)



Outside sink dimensions 17 3/4 FB x 30 7/8" LR Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location Spillway® partition

FUN# 122.0045.191

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES













DBR10S

SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings


QCUA1933R/8

\$739.00



Undermount model

Shipping Weight 17.2 lbs. (7.8 kg.)



Outside sink dimensions 18 3/4" FB x 32 7/8" LR Large bowl dimensions 17" FB x 18" LR x 8" DP Small bowl dimensions 17" FB x 12" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0170.396

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES













CA1W DBR10S

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QCUA1831R/8

\$683.00



Undermount model

Shipping Weight 17.0 lbs. (7.7 kg.)



Outside sink dimensions 17 3/4" FB x 30 7/8" LR Large bowl dimensions 16" FB x 18" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0202.322

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES













SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


OCUA1831L/8

\$683.00



Undermount model

Shipping Weight 17.0 lbs. (7.7 kg.)



Outside sink dimensions 17 3/4" FB x 30 7/8" LR Large bowl dimensions 16" FB x 18" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location and Spillwav® partition

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES













(1)

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


OCUA1827R/8

\$615.00



Undermount model

Shipping Weight 17.0 lbs. (7.7 kg.)



Outside sink dimensions 17 3/4" FB x 26 7/8" LR Large bowl dimensions 16" FB x 14" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0202.327

30" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES















SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine KFPD1100 KSD1100 correct hole drillings


QCUA1827L/8

\$615.00



Undermount model

Shipping Weight 17.0 lbs. (7.7 kg.)



Outside sink dimensions 17 3/4" FB x 26 7/8" LR Large bowl dimensions 16" FB x 14" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0202.329

30" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES







BG13S





MB100



SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


ODCU2031R/8

\$721.00



Undermount model

Shipping Weight 26.0 lbs. (11.7 kg.)



Outside sink dimensions 20 5/8" FB x 31 1/2" LR Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 8" DP Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole location

FUN# 122.0062.239

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine KFPD1100 KSD1100 correct hole drillings


QDCU2031L/8

\$721.00



Undermount model

Shipping Weight 26.0 lbs. (11.7 kg.)



Outside sink dimensions 20 5/8" FB x 31 1/2" LR Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 8" DP Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole location

FUN# 122.0062.237

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





associate to determine KEPD1100 KSD1100 correct hole drillings


QCMU2029R/8

\$670.00



Undermount model

Shipping Weight 15.0 lbs. (6.7 kg.)



Rear drain wastehole location

Outside sink dimensions 19 3/4" FB x 28 7/8" LR Large bowl dimensions 18" FB x 16" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

FUN# 122.0305.302

30" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES













(1)

BG13S

DBR10S

MB100

SUGGESTED KINDRED FITTINGS



Speak to a showroom

Speak to a showroom associate to determine


QCMUA2233R/8

\$821.00



Undermount model

Shipping Weight 25.7lbs. (11.5 kg.)



Outside sink dimensions 21 1/2" FB x 32 7/8" LR Large bowl dimensions 19 3/4" FB x 18" LR x 8" DP Small bowl dimensions 17" FB x 12" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0170.395

24" x 36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES













QTU1842/8

\$983.00







CA1W DBR10S

Undermount model

Shipping Weight 21.0 lbs. (9.5 kg.)



[41cm] 10" [25cm]] 14" [36cm] -

Outside sink dimensions 17 3/4" FB x 42" LR Large bowl dimensions 16" FB x 14" LR x 8" DP Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location

FUN# 122.0305.299

42" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES



BG10S









SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

KFPD1100 KSD1100 correct hole drillings



Speak to a showroom associate to determine
KFPD1100 KSD1100 correct hole drillings

QSUA1933/8


\$511.00



Undermount model

(1)

Shipping Weight 19.6 lbs. (8.9 kg.)



Outside sink dimensions 18 3/4" FB x 32 3/4" LR Single bowl dimensions 17" FB x 31" LR x 8" DP

Rear drain wastehole location

FUN# 122.0170.398

33" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES









SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

BGA3117S



DBR10S


QSUA1925/8

\$459.00



Undermount model

Shipping Weight 15.7 lbs. (7.1 kg.)



Outside sink dimensions 18 3/4" FB x 24 3/4" LR Single bowl dimensions 17" FB x 23" LR x 8" DP

Rear drain wastehole location

FUN# 122.0170.399

27" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings


QSUA1917/8

\$380.00



Undermount model

Shipping Weight 12.0 lbs. (5.3 kg.)



Outside sink dimensions 18 3/4" FB x 16 3/4" LR Single bowl dimensions 17" FB x 15" LR x 8" DP

Rear drain wastehole location

FUN# 122.0170.400

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









CA1W

DBR10S

BGA1517S MB100


OSUA1831/8

\$470.00



Undermount model

Shipping Weight 19.5 lbs. (8.8 kg.)



Outside sink dimensions 17 3/4" FB x 30 3/4" LR Single bowl dimensions 16" FB x 29" LR x 8" DP

Rear drain wastehole location

FUN# 122.0045.257

33" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

KFPD1100 KSD1100



Speak to a showroom associate to determine KFPD1100 KSD1100 correct hole drillings

Speak to a showroom associate to determine

correct hole drillings


QSUA1820/8

\$291.00



Undermount model

Shipping Weight 11.3 lbs. (5.1 kg.)



Outside sink dimensions 17 3/4" FB x 19 3/4" LR Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location

FUN# 122.0202.333

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS





associate to determine KEPD1100 KSD1100 correct hole drillings

MB100 BG115


QSUA1816/8

\$282.00



Undermount model

Shipping Weight 7.0 lbs. (3.2 kg.)



Outside sink dimensions 17 3/4" FB x 15 3/4" LR Single bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location

FUN# 122.0202.335

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









DBR10S

SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

KFPD1100 KSD1100





Speak to a showroom associate to determine KFPD1100 KSD1100 correct hole drillings

> Speak to a showroom associate to determine correct hole drillings


QSUA1914/7

\$335.00



Undermount model

Shipping Weight 12.1 lbs. (5.4 kg.)



Outside sink dimensions 18 3/4" FB x 13 3/4" LR Single bowl dimensions 17" FB x 12" LR x 7" DP

Rear drain wastehole location

FUN# 122.0170.401

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES










BGA1217S MB100

Undermount model

Shipping Weight 19.2 lbs. (8.7 kg.)



Outside sink dimensions 20 7/8" FB x 23 3/8" LR Single bowl dimensions 18 3/4" FB x 21 1/4" LR x 8" DP

Rear drain wastehole location

FUN# 122.0062.281

24" cabinet - minimum to accept sink bowl

QSXU2123/8

\$402.00



OPTIONAL ACCESSORIES





SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


QSU1113/6

\$214.00



Undermount model

Shipping Weight 5.0 lbs. (2.4kg.)



Outside sink dimensions 11" FB x 13 3/8" LR Single bowl dimensions 9 1/4" FB x 11 5/8" LR x 6" DP

Centre drain wastehole location

FUN# 101.0305.295

15" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QSU1315/6

\$255.00



Undermount model

Shipping Weight 6.6 lbs. (3.1 kg.)



Outside sink dimensions 12 3/4" FB x 14 3/4" LR Single bowl dimensions 11" FB x 13" LR x 6" DP

Centre drain wastehole location

FUN# 101.0305.297

15" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QSU1614/6

\$277.00



Undermount model

Shipping Weight 6.7 lbs. (3.3 kg.)



Outside sink dimensions 15 3/4" FB x 13 3/4" LR Single bowl dimensions 14" FB x 12" LR x 6" DP

Rear drain wastehole location

FUN# 101.0305.291

15" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

QSU1812/7

OPTIONAL ACCESSORIES

\$264.00

MB100



Undermount model

Shipping Weight 6.9 lbs. (3.3 kg.)



Outside sink dimensions 17 3/4" FB x 11 3/4" LR Single bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location

FUN# 101.0305.295

15" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES





SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

QSU1820/10

\$517.00





OPTIONAL ACCESSORIES




BG110S

Undermount model

(1)

Shipping Weight 13.0 lbs. (5.8 kg.)



Outside sink dimensions 18 1/8" FB x 20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 10" DP

Rear drain wastehole location

FUN# 122.0202.337

21" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS







Steel Queen Laundry and Specialty Sinks

A Sink for Every Situation

Let's face it, life is messy. You know what we mean ... The dog needs a bath, garden grime has to be scrubbed off our hands, the dirty coveralls need somewhere to soak before washing. It's a big job and you need a sink that's up to the task.


Well, size matters and Kindred has it. Your laundry room or workshop is just the place for our Steel Queen Specialty Sinks – big, deep (up to 10"), some with an overflow, combination sinks, and 'workhorse' models. They're large enough to handle almost anything you throw at (or in) them, and stainless steel durability ensures they still look great at the end of the day.

STEEL QUEEN SPECIALTY SINKS • 20 GAUGE, 18-8 STAINLESS STEEL

(\$)


QSLA2217/8

\$377.00



Topmount model

Shipping Weight 12.0 lbs. (5.4 kg.)



Outside sink dimensions 22" FB x 17 1/4" LR Single bowl dimensions 17" FB x 15" LR x 8" DP

Rear drain wastehole location

Standard drilling: QSLA2217/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0169.282

Optional drilling: QSLA22171/8/1 - 1 hole on center

FUN# 101.0169.281

21" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS



OPTIONAL ACCESSORIES












OSA1820/8

\$294.00



FTopmount model

Shipping Weight 11.3 lbs. (5.1 kg.)



Outside sink dimensions 18 1/8" FB x 20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location

FUN# 101.0202.331

24" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









BG11S







_CUPC®

_CUPC®

SUGGESTED KINDRED FITTINGS

SUGGESTED KINDRED FITTINGS

associate to determine
KFPD1150 KSD1150 correct hole drillings



associate to determine

Speak to a showroom

QSLF2020/10


\$853.00





Topmount or undermount model 25 mm radius coved corners

Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 20 9/16" FB x20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 10" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/10/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0293.893

Optional drilling: QSLF2020/10/1 - 1 hole on center FUN# 101.0300.792

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES










BGZ18S DBR10S

QSLF2020/12 \$999.00



Topmount or undermount model 25 mm radius coved corners

Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 20 9/16" FB x20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 12" DP

Rear drain wastehole location, faucet ledge Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/10/3 - 3 hole - 1 1/2" dia., 4" center-to center FUN# 101.0300.898

Optional drilling: QSLF2020/12/1 - 1 hole on center

FUN# 101.0300.801

21" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES







MBZ16

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN SPECIALTY SINKS • 20 GAUGE, 18-8 STAINLESS STEEL

(1)

(1)

(1)


QSA1925/8

\$463.00



Topmount model

Shipping Weight 14.3 lbs. (6.5 kg.)



Outside sink dimensions 19 1/8" FB x 25 1/8" LR Single bowl dimensions 17" FB x 23" LR x 8" DP

Rear drain wastehole location

FUN# 101.0183.342

27" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









SUGGESTED KINDRED FITTINGS





associate to determine KFPD1100 KSD1100 correct hole drillings


QSA1816/8

\$285.00



Topmount model

Shipping Weight 7.0 lbs. (3.2 kg.)



Outside sink dimensions 18 1/8" FB x 16 1/8" LR Single bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location

FUN# 101.0202.339

18" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES









DBR10S

SUGGESTED KINDRED FITTINGS





associate to determine KFPD1100 KSD1100 correct hole drillings


QSR18/8

\$564.00



Topmount model

Shipping Weight 9.9 lbs. (4.5 kg.)



Outside sink dimensions 18 1/8" DIAMETER Bowl dimensions 16" DIAMETER x 8" DP

Center drain wastehole location

FUN# 113.0045.253

21" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

QCR/8


\$1,110.00



Topmount model

(1)

Shipping Weight 18.4 lbs. (8.4 kg.)



Outside sink dimensions 23 3/8" FB x 43 7/16" LR Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location

Standard drilling: QCR/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0045.134 Optional drilling: QCR/8/4 - 4 hole - 4 hole, as shown FUN# 101.0045.135 Optional drilling: QCR/8/1 - 1 hole on center FUN# 101.0045.133

Corner cabinet application

OPTIONAL ACCESSORIES















SUGGESTED KINDRED FITTINGS



KFPD1100 KSD1100

Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN SPECIALTY & LAUNDRY/UTILITY SINKS - 20 GAUGE, 18-8 STAINLESS STEEL

OTCM1841/8


\$1,178.00



Topmount model

(1)

Shipping Weight 21.6 lbs. (9.8 kg.)



Outside sink dimensions 18 1/8" FB x 41 5/8" LR Large bowl dimensions 16" FB x 14" LR x 8" DP Small bowl dimensions 11 5/8" FB x 9 1/4" LR x 6" DP

Rear drain wastehole location

Standard drilling: QTCM1841/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0045.272 Optional drilling: QTCM1841/8/1 - 1 hole on center FUN# 101.0045.271

45" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES











SUGGESTED KINDRED FITTINGS



associate to determine


OD2035/10

\$1,046.00



Topmount model

Shipping Weight 21.0 lbs. (9.5 kg.)



Outside sink dimensions 20 1/8" FB x 35 1/4" LR Equal size bowl dimensions 18" FB x 16" LR x 10" DP

Center drain wastehole location

Standard drilling: QD2035/10 - no drilling FUN# 113.0045.149 Optional drilling: QD2035/10/1 - 1 hole - 1 1/2" diameter, on center FUN# 113.0045.150

39" cabinet - minimum to accept sink bowls

OPTIONAL ACCESSORIES



BG1105

SUGGESTED KINDRED FITTINGS



associate to determine


QC1942/12

\$1,214.00



Topmount model

Shipping Weight 25.5 lbs. (11.6 kg.)



Outside sink dimensions 19 5/8" FB x 41 3/4" LR Large bowl dimensions 17 1/2" FB x 23 1/2" LR x 12" DP Small bowl dimensions 17 1/2" FB x 15" LR x 7" DP

Center drain wastehole location Includes overflow on back wall of 12" deep bowl

Standard drilling: QC1942/12 - no hole

FUN# 113.0045.082

45" cabinet - minimum to accept sink bowls

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine
KFPD1100 KSD1100 correct hole drillings


QSL2225/10

\$725.00



Topmount model

Shipping Weight 19.6 lbs. (8.9 kg.)



Outside sink dimensions 22 1/16" FB x 25 5/8" LR Single bowl dimensions 17 1/2" FB x 23 1/2" LR x 10" DP

Center drain wastehole location and faucet ledge

Standard drilling: QSL2225/10/3 - 3 hole - 1 1/2" diameter, 4" center-to-center Optional drilling: QSL2225/10/1 - 1 hole - 1 1/2" diameter, on center

27" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS



Sneak to a showroom associate to determine correct hole drillings

STEEL QUEEN LAUNDRY/UTILITY SINKS • 20 GAUGE, 18-8 STAINLESS STEEL

QSL2225/12


\$833.00



Topmount model

(1)

Shipping Weight 19.6 lbs. (8.9 kg.)



Outside sink dimensions 22 1/16" FB x 25 5/8" LR Single bowl dimensions 17 1/2" FB x 23 1/2" LR x 12" DP

Center drain wastehole location

Faucet ledge

Includes overflow on back wall of 12" deep bowl

Standard drilling: QSL2225/12/3 - 3 hole - 1 1/2" diameter, 4" center-to-center FUN# 113.0045.241

27" cabinet - minimum to accept sink bowl

Not suitable for a single hole faucet, due to rear overflow elbow.

SUGGESTED KINDRED FITTINGS





associate to determine KFPD1100 KSD1100 correct hole drillings


OS1925/12

\$859.00



Topmount model

Shipping Weight 18.4 lbs. (8.3 kg.)



Outside sink dimensions 19 5/8" FB x 25 5/8" LR Single bowl dimensions 17 1/2" FB x 23 1/2" LR x 12" DP

Center drain wastehole location Includes overflow on back wall of bowl

FUN# 113.0045.201

27" cabinet - minimum to accept sink bowl

Not suitable for a single hole faucet, due to rear overflow elbow.

SUGGESTED KINDRED FITTINGS



associate to determine KFPD1100 KSD1100 correct hole drillings

> Speak to a showroom associate to determine correct hole drillings


QSL2020/10

\$528.00



Topmount model

Shipping Weight 13.2 lbs. (6.0 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 10" DP

Center drain wastehole location and faucet ledge

Standard drilling: QSL2020/10/3 - 3 hole - 1 1/2" diameter, 4" center-to-center FUN# 113.0045.222

Optional drilling: QSL2020/10/4 - 4 hole - 4th hole on right hand side FUN# 113.0045.223

Optional drilling: QSL2020/10/1 - 1 hole on center

FUN# 113.0045.221

24" cabinet - minimum to accept sink bowl

OPTIONAL ACCESSORIES




\$511.00

QS1820/10

Topmount model

(1)

Shipping Weight 13.2 lbs. (6.0 kg.)



Outside sink dimensions 18 1/8" FB x 20 1/8" LR Single bowl dimensions 16" FB x 18" LR x 10" DP

Center drain wastehole location

FUN# 113.0045.198

24" cabinet - minimum to accept sink bowl



OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS

KFPD1100 KSD1100



Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN HOSPITALITY SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


QSL1719/8

\$331.00



Topmount model

Shipping Weight 12.0 lbs. (5.5 kg.)



Outside sink dimensions 17" FB x 19 1/8" LR Single bowl dimensions 12" FB x 17" LR x 8" DP

Center drain wastehole location and faucet ledge

Standard drilling: QSL1719/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center FUN# 101.0045.215

Optional drilling: QSL1719/8/1 - 1 hole on center

FUN# 101.0045.213

Optional drilling: QSL1719/8/2 - 2 hole - 1 1/2" dia.,4" center-to-center FUN# 101.0045.214

21" cabinet - minimum to accept sink bowl Rail fastening system on back ledge

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings

OPTIONAL ACCESSORIES





MB1710


OSL1515/6

\$269.00



Topmount model

Shipping Weight 7.0 lbs. (3.2 kg.)



Outside sink dimensions 15 7/16" FB x 15 1/8" LR Single bowl dimensions 11" FB x 13" LR x 6" DP

Center drain wastehole location and faucet ledge

Standard drilling: QSL1515/6/2 - 2 hole - 1 1/2" diameter, 4" center-to-center FUN# 113.0045.211

Optional drilling: QSL1515/6/1 - 1 hole on center FUN# 113.0045.210

18" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





associate to determine correct hole drillings

QS1315/6


\$263.00



Topmount model

(\$)

Shipping Weight 6.6 lbs. (3.0 kg.)



Outside sink dimensions 13 1/8" FB x 15 1/8" LR Single bowl dimensions 11" FB x 13" LR x 6" DP

Center drain wastehole location

FUN# 113.0045.194

18" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QSL1313/6

\$227.00



Topmount model

Shipping Weight 5.4 lbs. (2.4 kg.)



Outside sink dimensions 13 5/8" FB x 13 5/8" LR Single bowl dimensions 9 1/4" FB x 11 5/8" LR x 6" DP

Center drain wastehole location

Standard drilling: QSL1313/6/2 - 2 hole - 1 1/2" diameter, 4" center-to-center FUN# 101.0045.208 Optional drilling: QSL1313/6/1 - 1 hole on center

FUN# 101.0045.207

18" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Sneak to a showroom associate to determine correct hole drillings

STEEL QUEEN HOSPITALITY SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


QS1113/6

\$226.00



Topmount model

Shipping Weight 5.0 lbs. (2.3 kg.)



Outside sink dimensions 11 1/4" FB x 13 5/8" LR Single bowl dimensions 9 1/4" FB x 11 5/8" LR x 6" DP

Center drain wastehole location

FUN# 113.0045.193

18" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine correct hole drillings


QS1614/6

\$291.00



Topmount model

Shipping Weight 6.9 lbs. (3.1 kg.)



Outside sink dimensions 16 1/8" FB x 14 1/8" LR Single bowl dimensions 14" FB x 12" LR x 6" DP

Rear drain wastehole location

FUN# 113.0045.195

18" cabinet - minimum to accept sink bowl

SUGGESTED KINDRED FITTINGS





Speak to a showroom associate to determine KFPOS100 KSD100 correct hole drillings



Kindred faucet model KFPOS150.

KINDRED FAUCETS AND FITTINGS

A beautiful addition

We all agree a sink is an essential fixture in every home. In the kitchen it is the nerve center, an integral part of almost every task you do here. Make clean up a breeze with sink accessories such as Kindred Faucet and Soap Dispensers and Kindred Waste Disposers. Simple, sensible solutions.

Kindred offers Chrome, Satin Nickel and beautiful Color Matched Granite faucets, and soap dispensers in the same finishes for a completely coordinated looks. Beauty and function – superb!

Why choose a Kindred Waste Disposer?

Just ask a plumber, and they will tell you that Kindred is one of the most trusted names in the industry for kitchen sinks, faucets, fittings, and accessories. For more than 60 years plumbing professionals have relied on Kindred for products with legendary performance. And you can too.

Kindred waste disposers continue that fine tradition of Kindred products that offer you superior performance in terms of reliability, quality, and durability. Every product that bears the Kindred name will give years of trouble free service, and simplify your life in the kitchen.

Kindred Waste Disposers range from apartment sized 1/3 H.P. models, right up to 1 1/4 H.P. models for big kitchen clean ups. Kindred Bio-Shield waste disposers feature a unique antimicrobial agent, permanently molded in the disposer to eliminate bacteria-caused odors, and Torque Master® balanced turntables and armatures in grinding system for less vibration.

Why choose a Kindred Waste Disposer? Because you can be sure that your life just became simpler.

KINDRED STYLE • PULL-OUT AND PULL-DOWN SPRAY FAUCETS


KFPOS100

\$448.00



Chrome Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge Backflow prevention Spray head extends to 24" long

Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min.

Lifetime mechanical warranty Lifetime warranty on chrome finish

FUN# 115.0152.623

SUGGESTED KINDRED FITTINGS



associate to determine correct hole drillings

KFPOS150


\$599.00



Satin Nickel Finish

_cUPC®

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge

Backflow prevention Spray head extends to 24" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole

Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty 2 year warranty of decorative finish

FUN# 115.0152.624

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KFPD2100

\$338.00



Chrome Finish

Shipping Weight 7.9 lbs (3.6 kg)



Chrome finish

Brass and polymer construction Backflow prevention Spray head extends to 16" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty Lifetime warranty on chrome finish

FUN# 115.0342.366

SUGGESTED KINDRED FITTINGS



associate to determine correct hole drillings


KFPD3100

\$338.00



Chrome Finish

Shipping Weight 7.9 lbs (3.6 kg)



Chrome finish

Brass and polymer construction Backflow prevention Spray head extends to 16" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty Lifetime warranty on chrome finish

FUN# 115.0342.367

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

KINDRED STYLE • PULL-DOWN SPRAY FAUCETS


KFPD1100

\$535.00



Chrome Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge Backflow prevention Spray head extends to 24" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty 2 year warranty of decorative finish

FUN# 115.0293.701

SUGGESTED KINDRED FITTINGS




KFPD1150

\$682.00



Satin Nickel Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge Backflow prevention Spray head extends to 24" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty 2 year warranty of decorative finish

FUN# 115.0293.702

SUGGESTED KINDRED FITTINGS




KFPD1200

\$624.00



Champagne Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge Backflow prevention Spray head extends to 24" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty 2 year warranty of decorative finish

FUN# 115.0293.703

SUGGESTED KINDRED FITTINGS




KFPD1400

\$624.00



Oyster Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge Backflow prevention Spray head extends to 24" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty 2 year warranty of decorative finish

FUN# 115.0293.705

SUGGESTED KINDRED FITTINGS



KINDRED STYLE • PULL-DOWN SPRAY FAUCETS


KFPD1700

\$624.00



Onyx Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge Backflow prevention Spray head extends to 24" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty 2 year warranty of decorative finish

FUN# 115.0293.706

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KFPD1800

\$624.00



Espresso Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge Backflow prevention Spray head extends to 24" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty 2 year warranty of decorative finish

FUN# 115.0293.707

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


NEW! KFPD1900

\$624.00



Storm Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction Ceramic disc cartridge Backflow prevention Spray head extends to 24" long Dual spray mode (spray or stream) Requires 1 3/8" diameter hole Rated at 2.2 USGPM, 8.3 L/min. Lifetime mechanical warranty 2 year warranty of decorative finish

Available May 2016

SUGGESTED KINDRED FITTINGS



associate to determine correct hole drillings

KINDRED STYLE • FAUCET REPLACEMENT PARTS

KFPD REPLACEMENT PARTS	PART #	COMPONENT #	DESCRIPTION	PRICE
	SPKHA100	05	Cartridge	\$ 20.00
	SPKHA110	14/16	Spray Hose Set, including fiber washer	\$ 67.00
18 13	SPKHA121	15	Check Valve Set	\$ 58.00
20———19	SPKHA120	20	Flow Regulator	\$ 58.00
	SPKHA130	20/21/22	Pull Down Spray Set - Chrome	\$ 140.00
	SPKHA131	20/21/22	Pull Down Spray Set - Satin Nickel	\$ 140.00
	SPKHA132	20/21/22	Pull Down Spray Set - Champagne	\$ 123.00
	SPKHA134	20/21/22	Pull Down Spray Set - Oyster	\$ 123.00
8 9 4	SPKHA135	20/21/22	Pull Down Spray Set - Onyx	\$ 123.00
11	SPKHA136	20/21/22	Pull Down Spray Set - Espresso	\$ 123.00
12 ————————————————————————————————————	SPKHA137	20/21/22	Pull Down Spray Set - Storm	\$ 123.00
15 14 16				

KFPOS REPLACEMENT PARTS	PART #	COMPONENT #	DESCRIPTION	PRICE
1————3	SPKHA1	6	Cartridge	\$ 43.00
4——2	— 29 SPKHA2	21, 24, 27, 23	Spray House Set	\$ 67.00
6——	SPKHA3	1,2,3	Handle Set - Chrome	\$ 29.00
7	SPKHA4	1,2,3	Handle Set - Satin Nickel	\$ 35.00
9—	SPKHA5	3,2	Two Color Screw Cap	\$ 4.00
10	SPKHA6	27,21,23	Washer Set	\$ 4.00
2.5mm or Allen Wret	- 3/32" SPKHA7	31	Aerator	\$ 9.00
13	SPKHA8	30	Tool	\$ 3.00
15 16 17 18	SPKHA20	28, 29, 30	Pull-Out Spray Head - Chrome	\$ 78.00
20	SPKHA21	28, 29, 30	Pull-Out Spray Head - Satin Nickel	\$ 110.00
1921	SPKHA40	4	Decorative Cap - Chrome	\$ 17.00
23 — —	SPKHA41	4	Decorative Cap - Satin Nickel	\$ 21.00
24	SPKHA60	26	Pull out spray head collar	\$ 3.00
25				

KSD100

\$113.00



Chrome Finish

Shipping Weight 1.3 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

FUN# 112.0061.155

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

KSD150

\$151.00



Satin Nickel Finish

Shipping Weight 1.3 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

FUN# 112.0061.156

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSD1100

\$135.00



Chrome Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

FUN# 112.0293.708

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSD1150

\$174.00



Satin Nickel Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

FUN# 112.0293.709

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSD1200

\$150.00



Champagne Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

FUN# 112.0293.710

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSD1400

\$150.00



Oyster Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

FUN# 112.0293.722





Speak to a showroom associate to determine correct hole drillings


KSD1700

\$150.00



Onyx Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

FUN# 112.0293.723





Speak to a showroom associate to determine correct hole drillings


KSD1800

\$150.00



Espresso Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

FUN# 112.0293.724

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

NEW! KSD1900

\$150.00



Storm Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction

Teflon spout line is clog and corrosion resistant

Patented positive prime pump

500ml capacity polypropylene bottle

Requires 1 3/8" diameter hole

Soap dispenser can accomodate a countertop thickness up to 1 1/2"

Lifetime mechanical warranty

2 year warranty of decorative finish

Available May 2016

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

KWD33C1/EZ

\$145.00




OPTIONAL ACCESSORIES



CONTINUOUS FEED



Shipping Weight 8.7 lbs. (3.9 kg.)



1/3 H P motor

High-speed 1925 r.p.m. permanent magnet motor

EZ mount installation system

Stainless steel grinding components

Includes factory installed power cord

Safe for properly sized septic tanks

For use with 110-120 volts/60hz current only

Includes strainer stopper

2 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0255.892

KWD50C1/EZ

\$199.00




OPTIONAL ACCESSORIES



CONTINUOUS FEED



Shipping Weight 10.6 lbs. (4.8 kg.)



1/2 H.P. motor

High-speed 2700 r.p.m. permanent magnet motor

EZ mount installation system

Stainless steel grinding components

Sound insulated shell

Includes factory installed power cord

Safe for properly sized septic tanks

For use with 110-120 volts/60hz current only

Includes strainer stopper

5 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & guiet operation

FUN# 134.0255.890

KWD50C2/EZ

\$163.00



OPTIONAL ACCESSORIES



KWD75C1/EZ

\$308.00



OPTIONAL ACCESSORIES




AS200

CONTINUOUS FEED



Shipping Weight 10.6 lbs. (4.8 kg.)



1/2 H.P. motor

High-speed 2700 r.p.m. permanent magnet motor

EZ mount installation system

Stainless steel grinding components

Sound insulated shell

Includes factory installed power cord

Safe for properly sized septic tanks

For use with 110-120 volts/60hz current only

Includes strainer stopper

2 year in-home service warranty



Antimicrobial treatment to inhibit odour




Balanced grinding system to provide long service life & quiet operation

FUN# 134.0262.596

CONTINUOUS FEED

Shipping Weight 14.0 lbs. (6.3 kg.)



3/4 H.P. motor

High-speed 2700 r.p.m. permanent magnet motor

EZ mount installation system

Stainless steel grinding components

Sound insulated shell

Includes factory installed power cord

Safe for properly sized septic tanks

For use with 110-120 volts/60hz current only

Includes strainer stopper

8 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0255.898


KWD75B1/EZ

\$428.00



BATCH FEED

Shipping Weight 14.0 lbs. (6.3 kg.)



3/4 H.P. motor

High-speed 2700 r.p.m. permanent magnet motor

EZ mount installation system

Stainless steel grinding components

Sound insulated shell

Includes factory installed power cord

Safe for properly sized septic tanks

For use with 110-120 volts/60hz current only

Includes strainer stopper

8 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0275.324

KWD125C1/EZ


\$409.00



CONTINUOUS FEED

(II)

Shipping Weight 15.0 lbs. (6.8 kg.)



1 1/4 H.P. motor

High-speed 2800 r.p.m. permanent magnet motor

EZ mount installation system

Stainless steel grinding components

Sound insulated shell

Includes factory installed power cord

Safe for properly sized septic tanks

For use with 110-120 volts/60hz current only

Includes strainer stopper

10 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0255.899

KWD125B1/EZ

OPTIONAL ACCESSORIES

\$550.00


600

AS200



1 1/4 hp - 2800 rpm - BATCH FEED

Shipping Weight 15.0 lbs. (6.8 kg.)



1 1/4 H.P. motor

High-speed 2800 r.p.m. permanent magnet motor

EZ mount installation system

Stainless steel grinding components

Sound insulated shell

Includes factory installed power cord

Safe for properly sized septic tanks

For use with 110-120 volts/60hz current only

Includes strainer stopper

10 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0315.656


AS200

\$141.00



Air actuated on/off control

Shipping Weight 1.5 lbs. (0.7 kg.)



Includes separate chrome and satin nickel finished air switch control buttons

For use with continuous feed waste disposers

Can be used with waste disposers up to 1 H.P., 120 V

Eliminates need for an electrical wall switch

Installs into existing sink hole drilling, or countertop

FUN# 112.0312.211



KINDRED ACCESSORIES

... they just make sense!

Sink accessories such as laminated maple cutting boards, ABS colanders, and stainless wire drainer baskets, and grids simplify the art of preparing a meal. Slice and dice, mince and rinse, drain and strain ... a big sink with room to move, and sink accessories that are truly functional, will please even the most temperamental chef. We like to think of Kindred accessories as kitchen helpers. And who couldn't use a little extra help in the kitchen?

DR1614 \$74.00 **GB50** \$236.00 **GB1712M** \$150.00 FPB1814 \$227.00 Reversible man-made Polished stainless steel drain rack Frosted glass board Glass board and color mat set composite cutting board Dimensions Dimensions Dimensions **Dimensions** 18 3/8" FB x 14" LR x 1/2" HIGH 10 1/2" FB x 6 1/2" LR x 3 3/4" HIGH 11" FB x 16" LR x 3/4" HIGH 16 7/8" FB x 12" LR x 1/2" HIGH FUN#112.0061.448 FUN#112.0193.152 FUN#112.0183.344 FUN#112.0044.802 \$92.00 MB1809 \$89.00 MB1610 \$83.00 MB1612 MB1710 \$102.00 Laminated maple cutting board Laminated maple cutting board Laminated maple cutting board Laminated maple cutting board Dimensions Dimensions Dimensions Dimensions 18" FB x 9" LR x 1" HIGH 16 3/4" FB x 10 1/2" LR x 1" HIGH 16 7/16" FB x 11 11/16" LR x 1" HIGH 18" FB x 11" LR x 1" HIGH FUN# 112.0183.343 FUN#112.0061.317 FUN#112.0061.142 FUN#112.0061.144 **MB20** \$134.00 **MB50** \$102.00 **MB55** \$102.00 **MB100** \$201.00 Laminated maple cutting board Laminated maple cutting board Laminated maple cutting board Laminated maple cutting board Dimensions Dimensions 15 15/16" FB x 10" LR x 3/4" HIGH 17 9/32" FB x 10" LR x 3/4" HIGH 19 3/4" FB x 16 1/4" LR x 1" HIGH 24 11/16" FB x 11 15/16" LR x 1" HIGH FUN#112.0061.146 FUN#112.0061.318 FUN#112.0061.147 FUN#112.0061.143 \$150.00 \$150.00 \$55.00 CA1W MBZ16 MBZ17 CM100 \$51.00 Color mats White ABS colander Laminated maple cutting board Laminated maple cutting board Dimensions Dimensions **Dimensions Dimensions** 11" FB x 8" LR x .06" HIGH 13" FB x 9" LR x 4 1/2" DEEP 16 3/4" FB x 10 1/2" LR x 1" HIGH 17 3/4" FB x 11 1/2" LR x 1" HIGH FUN#113.0193.751 FUN# 112.0202.209 FUN#112.0202.530 FUN#112.0202.531 **CB1714MB C30S** \$116.00 \$150.00 **C20S** \$104.00 **C50S** \$144.00 Brushed stainless steel colander Stainless steel mixing bowl Polished stainless steel mesh colander Polished stainless steel mesh colander

15" FB x 9 1/2" LR x 2 1/2" DEEP

FUN#112.0044.810

Dimensions

FUN#112.0196.687

9 7/8" DIAMETER x 3 1/4" HIGH

15 11/16" FB x 6 3/16" LR x 2 1/4" DEEP

FUN#112.0054.960

13 1/4" FB x 6" LR x 2 1/2" DEEP

FUN#112.0044.809

KINDRED - ACCESSORIES DBR10S \$131.00 **CB1714SB** \$153.00 **C09S** \$156.00 RM50S \$163.00 Polished stainless steel drainer basket Polished flexible stainless steel roll mat Stainless steel strainer bowl Stainless steel colander **Dimensions** Dimensions Dimensions **Dimensions** 14 5/8" FB x 12" LR x 3" HIGH 9 7/8" DIAMETER x 3 1/4" HIGH 10 1/8" DIAMETER x 4 1/8" HIGH 15 7/8" FB x 13 3/4" LR x 3/8" HIGH FUN#112.0196.688 FUN#112.0352.874 FUN#112.0044.784 FUN# 112.0058.825 RM55S \$163.00 **BGDS10S** \$149.00 BGDS11S \$163.00 BGDS13S \$183.00 Polished flexible stainless steel roll mat Polished stainless steel bottom grid Polished stainless steel bottom grid Polished stainless steel bottom grid Dimensions Dimensions Dimensions Dimensions 15" FB x 12" LR x 1" HIGH 15" FB x 9" LR x 1" HIGH 15" FB x 10" LR x 1" HIGH 17 1/4" FB x 14 3/8" LR x 3/8" HIGH FUN#112.0040.601 FUN#112.0040.602 FUN# 112.0058.824 FUN#112.0040.599 BGDS14S \$196.00 **BGDS15S** \$195.00 **BGDS16S** \$210.00 BGDS18S \$231.00 Polished stainless steel bottom grid Dimensions 15 1/4" FB x 13 1/4" LR x 1" HIGH 14 1/4" FB x 14 1/4" LR x 1" HIGH 15" FB x 15" LR x 1" HIGH 15" FB x 17" LR x 1" HIGH FUN# 112.0078.322 FUN# 112.0054.949 FUN#112.0040.600 FUN#112.0040.596 BGDS21S \$266.00 BGDS27S **BGDS30S** \$320.00 \$343.00 **BGDS33S** \$312.00 Polished stainless steel bottom grid **Dimensions** Dimensions Dimensions Dimensions 15" FB x 20" LR x 1" HIGH 15" FB x 26" LR x 1" HIGH 15" FB x 29" LR x 1" HIGH 15" FB x 32" LR x 1" HIGH FUN#112.0040.598 FUN#112.0040.597 FUN#112.0040.595 FUN#112.0040.594 **BGDS22S** \$163.00 **BGDS0817S** \$140.00 \$118.00 **BG10S BG11S** \$114.00



Polished stainless steel bottom grid Dimensions 7 1/2" FB x 21 3/16" LR x 1" HIGH FUN#112.0275.243



Polished stainless steel bottom grid Dimensions 16 1/2" FB x 7 1/2" LR x 1" HIGH FUN#112.0275.244



Polished stainless steel bottom grid Dimensions 14 1/4" FB x 11 7/8" LR x 1" HIGH FUN#112.0044.785



Polished stainless steel bottom grid Dimensions 14 1/4" FB x 15 1/4" LR x 1" HIGH FUN#112.0044.786

BG20S BG30S \$150.00 **BG35S BG13S** \$107.00 \$122.00 \$122.00 Polished stainless steel bottom grid Dimensions Dimensions Dimensions Dimensions 14 1/4" FB x 8 1/4" LR x 1" HIGH 17 1/8" FB x 19 9/16" LR x 1" HIGH 16 7/8" FB x 16 3/16" LR x 1" HIGH 14 1/4" FB x 8 1/2" LR x 1" HIGH FUN#112.0055.507 FUN#112.0055.434 FUN#112.0055.435 FUN#112.0044.796 **BG65S** \$133.00 \$89.00 **BGA1517S** \$119.00 **BGA1817S** \$131.00 **BGA1217S** Polished stainless steel bottom grid **Dimensions** Dimensions Dimensions Dimensions 14 3/4" FB x 9 1/2" LR x 1" HIGH 15" FB x 10 1/8" LR x 1" HIGH 15" FB x 13" LR x 1" HIGH 15" FB x 16" LR x 1" HIGH FUN#112.0044.791 FUN#112.0174.874 FUN# 112.0174.872 FUN#112.0174.876 **BGA1820S** \$150.00 **BGA2317S** \$150.00 \$180.00 **BGA3117S BG90S** \$150.00 Polished stainless steel bottom grid Dimensions 15" FB x 21" LR x 1" HIGH Dimensions Dimensions Dimensions 15" FB x 29" LR x 1" HIGH 14 5/8" FB x 25 1/4" LR x 1" HIGH 17 5/8" FB x 16" LR x 1" HIGH FUN# 112.0174.878 FUN# 112.0174.877 FUN# 112.0174.875 FUN#112.0044.794 **BG170S BG180S** \$144.00 \$131.00 \$138.00 **BG110S** \$150.00 **BG160S** Polished stainless steel bottom grid **Dimensions Dimensions Dimensions** Dimensions 13 7/8" FB x 15 7/8" LR x 1" HIGH 13 5/8" FB x 12 5/16" LR x 1" HIGH 14" FB x 7 3/4" LR x 1" HIGH 13 5/8" FB x 11 7/8" LR x 1" HIGH FUN#112.0040.526 FUN#112.0054.981 FUN#112.0054.979 FUN#112.0055.046 **BG190S** \$200.00 **BG200S** \$214.00 **BG210S** \$275.00 **BG220S** \$163.00

13 5/8" FB x 15 3/8" LR x 1" HIGH FUN#112.0055.044

Polished stainless steel bottom grid



FUN#112.0055.043



Polished stainless steel bottom grid 13 5/8" FB x 26 11/16" LR x 1" HIGH FUN#112.0055.042



Polished stainless steel bottom grid 14 3/4" FB x 12 5/16" LR x 1" HIGH FUN#112.0055.045

BG240S	\$284.00	BGZ10S	\$131.00	BGZ14S	\$137.00	BGZ15S	\$143.00
Polished stainless stee Dimensions 14 1/4" FB x 27 1/4" LR FUN#112.0204.314	_	Polished stainless steel bottom grid Dimensions 14 7/8" FB x 8 7/8" LR x 1" HIGH FUN#112.0194.732		Polished stainless steel bottom grid Dimensions 14 7/8" FB x 12 3/4" LR x 1" HIGH FUN#112.0194.703		Polished stainless steel bottom grid Dimensions 16" FB x 13 7/8" LR x 1" HIGH FUN#112.0194.710	
BGZ1512S \$134.00 E		BGZ18S \$150.00		BGZ23S \$155.00		61621 61622 (12 pcs)	\$28.00 \$301.00
Polished stainless stee Dimensions 11 1/8" FB x 13 1/2" LR FUN#112.0300.990	-	Polished stainless steel bottom grid Dimensions 14 7/8" FB x 16 7/8" LR x 1" HIGH FUN#112.0194.709		Polished stainless steel bottom grid Dimensions 16" FB x 21 7/8" LR x 1" HIGH FUN#112.0194.731		Stainless steel cleaner 61621 - FUN# 112.0061.299 61622 - FUN# 112.0061.300	
61411	\$13.00	1130	\$24.00	1130/60	\$1,296.00	1135	\$23.00
Sink maintenance kit		Stainless strainer assembly		Stainless strainer assembly		Stainless strainer as	
FUN# 113.0061.298		FUN# 112.0040.55	66	FUN# 112.0061.321		FUN# 112.0040.565	
1135-CS	\$23.00	1135/60	\$1,242.00	NEW! 1140	\$24.00	NEW! 1140/60	\$1,296.00
	3	-(•			3
Stainless strainer assembly in clam		Stainless strainer assembly		Stainless strainer assembly		Stainless strainer assembly	
shell packaging FUN# 112.0040.565		FUN# 112.0061.32	22				
1130B	\$9.00	1135T	\$8.00	1135B	\$9.00	1135B-CS	\$9.00
6				•			
Stainless strainer basket Polypropylene tailpiece with rubber gasket		piece with	Stainless strainer basket Fits 1135 and 1140 strainer		Stainless strainer basket in clam shell packaging		
FUN# 133.0054.947		FUN # 112.0357.19	97	FUN# 112.0156.3	395	FUN# 112.0274.796	5

125GOWK	\$58.00	100	\$18.00	1047	\$24.00	315-9	\$8.00
3							
1 1/4" Grid waste drain		1 1/2" Stainless steel waste with brass tailpiece & rubb		Integral Waste Assembly		1 1/2" Brass tailpiece	
FUN# 112.0040.553		FUN# 991.0055.439	эст эторрет	FUN# 134.0367.602		FUN# 991.0055.439	
NEW! 31703	\$2.00	NEW! EL-CLIPS	\$6.00	31548	\$4.00	20102	\$8.00
			4		The state of the s		
EZ Torque sink fasterner Undermount installation bracket FUN# 112.0366.516 Undermount installation bracket		8 pc. bolt & claw assembly FUN# 992.0040.525	Undermount Installation H Kindred undermount hard requires 3" additional cab FUN#112.0266.494	dware			

Stainless Steel Finishes by Kindred

We recognize that the appearance and durability of a stainless steel sink is an important part of the sink selection process and overall purchase decision. And this decision will no doubt be influenced by the finish that we apply to the product.

While there are no industry-wide standards, there are some common product finishes offered by sink manufacturers today.

For example:

- We know that a smooth and bright finish will shed water, resist
 water spotting, and add sparkle to the kitchen. This is a good choice
 for a sink deck where appearance is important and "wear and tear"
 is minimal.
- We also know that a grain line or brush finish is a good choice for the sink bowl. This is where the work is done in the kitchen and where a sink must prove it's mettle ... the sink bowl finish must be durable enough to stand up to whatever you can throw at it.

Kindred has polished and finished stainless steel sinks for over 60 years. That's a lot of experience and a lot of satisfied customers. This ongoing, never-ending discussion with customers, has led to the development of the following Kindred product finishes:

#4 Commercial Finish - A uniform grain line finish applied to the entire surface of the product.

Radiant Silk Finished Bowl - A smooth and polished surface created with polishing brushes and polishing compounds.

Satin (Lustre) Finished Bowl - A linear grain line finish applied to the bottom and sides of the sink bowl by using abrasive belts and wheels.

Mirror Finished Rim - A highly reflective and bright surface created with buffing wheels & compounds.

Silk Finished Rim - A mirror finished rim that has been treated with a light linear finish to soften the reflectivity.

The Kindred Warranty

RESIDENTIAL SINKS

Kindred brand Stainless Steel and Granite Sinks are guaranteed against defects in material or workmanship, for any normal domestic purpose for which they are intended, for as long as you own your sink.

ACCESSORIES

Kindred brand accessories including hardwood cutting boards, and stainless steel colanders and trays, and baskets and grids are guaranteed against defects in material, and to be suitable for any normal domestic purpose for which they are intended for a period of one year from date of purchase.

FAUCETS

Every Kindred brand (chrome plate or solid stainless) faucet is guaranteed to be suitable for any normal domestic purpose for which it is intended and without defects in material or workmanship for as long as the original purchaser owns their home, provided it has been installed and maintained according to Franke Kindred Canada Limited instructions. The only exception to this warranty shall be decorative faucet finish which shall be warranted for a period of two years from date of purchase.

WASTE DISPOSERS (See pages 80-81)

For more detailed information regarding all Kindred warranties please review the information at www.kindred-sinkware.com

CINIZC					
SINKS	Price Page	Madal	Price Page	Model	Price Page
Model	Price Page	Model	Price Page	Model	Price Page
CCLA2027R/8S\$	732.00 55	KSCM1RUA/9D\$	•	QDL2031/7\$	409.00 45
CDC2031L/8\$	720.00 55	KSCM3RUA/9D\$,	QDL2031/8\$	
CDC2031R/8\$	720.00 55	KSCM4RUA/9D\$	•	QDLA2233/8\$	685.00 45
CDLA2031/8S\$	685.00 55	KSD1UA/9D\$		QDLF2031/8\$	782.00 50
CSLA2020/8S\$	400.00 56	KSD2UA/9D\$		QDLF2233/8\$	1,004.00 50
CSX2123/8S\$	484.00 56	KSDC1LUA/9D\$		QDUA1831/8\$	499.00 58
KCAC36R/10\$,	KSDC1RUA/9D\$		QDUA1933/8\$	568.00 58
KCAD36/10\$	1,520.00 13	KSDCLU/9\$	1,236.0023	QS1113/6\$	226.00 71
KCAS33/10\$,	KSDCRU/9\$	•	QS1315/6\$	263.00 70
KCC30R/9-10A\$	•	KSOV1317U/7\$		QS1614/6\$	291.00 71
KCC33R/9-10A\$		KSOV1318U/7\$		QS1820/10\$	511.00 69
KCD33/9-10A\$,	KSOV1418/7\$		QS1925/12\$	859.00 69
KCD36/9-10A\$,	KSOV1420U/7\$		QSA1816/8\$	285.00 67
KCFD36A/9-10BG\$	•	KSOV1619/7\$		QSA1820/8\$	294.00 66
KCFD36B/9-10BG\$,	KSOV16U/7\$		QSA1925/8\$	463.00 67
KCFS30A/10-10BG\$		KSOV17/7\$		QSFS31B\$	1,096.00 50
KCFS30B/10-10BG\$		KSOV1821/7\$		QSL1313/6\$	227.00 70
KCFS33A/10-10BG\$,	KSOV18U/7\$		QSL1515/6\$	269.00 70
KCFS33B/10-10BG\$	•	KSOV19/7\$	329.0033	QSL1719/8\$	331.00 70
KCFS36A/10-10BG\$		KSOWB1119U/5\$	364.0030	QSL2020/10\$	528.00 69
KCFS36B/10-10BG\$,	KSOWB1420/5\$	499.0030	QSL2020/7\$	245.00 47
KCS21SR/8-10BG\$,	KSR1UA/9\$	777.0028	QSL2020/8\$	308.00 47
KCS30/10-10A\$,	KSS1UA/5D \$	402.0028	QSL2225/10\$	725.00 68
KCS33/10-10A\$,	KSS2UA/9D \$		QSL2225/12\$	833.00 69
KCUC27R/9-10BG\$,	KSS3UA/7D\$	447.00	QSLA2031/8 \$	550.00 48
KCUC30R/9-10BG\$		KSS4UA/9D\$	708.0027	QSLA2217/8\$	
KCUC33R/9-10BG\$,	KSS5UA/9D\$	859.00	QSLA2225/8 \$	
KCUC36R/9-10BG\$		KSS6UA/9D \$	815.00 26	QSLA2233/8\$	555.00 48
KCUD30/9-10BG\$		KSS7UA/9D\$	873.00 26	QSLF1717/7\$	
KCUD33/9-10BG\$		KSS8UA/8D \$		QSLF2016/8\$	
KCUD36/9-10BG\$		KSSXUA/9D \$	716.0027	QSLF2016/8/2\$	
KCUS21A/8-10BG\$		KST1UA/9D \$	•	OSLF2020/10\$	
KCUS22A/8-10BG\$		QC1942/12\$	•	QSLF2020/12\$	
KCUS24A/10-10BG \$		QCLA2027L/8\$		QSLF2020/8\$	
KCUS30A/10-10BG \$		QCLA2027R/8\$		QSLF2225/8\$	
KCUS33A/10-10BG\$		QCLA2031L/8\$		QSR18/8 \$	
KCUS36A/10-10BG \$		QCLA2031R/8\$ QCLF2027R/8\$	702.00	QSU1113/6 \$	
KCUS8A/8-10BG\$ KGD1U/8\$	689.00			QSU1315/6\$	
KGD2U/9\$	925.00 40	QCLF2031R/8 \$ QCLF2039DBR/8 \$		QSU1614/6\$	
KGDC2027R/8\$	715.00	QCM2033/8\$		QSU1812/7\$	
KGDC2027R/8\$	755.00	QCM2033/8\$ QCMA1826/7\$		QSU1820/10 \$	
KGDC2RU/8\$	772.00	QCMU2029R/8\$		QSUA1816/8\$	
KGDCR1U/8\$	834.00	QCMUA2233R/8\$		QSUA1820/8\$	
KGDL2031/8\$	710.00	QCR/8 \$		QSUA1831/8\$	
KGDL2233/9\$	863.00	QCUA1827L/8\$		QSUA1914/7 \$	
KGS1U/8\$	807.00 39	QCUA1827R/8\$		QSUA1917/8\$	
KGS2U/8\$	735.00 39	QCUA1831L/8\$		QSUA1925/8\$	
KGS3U/8\$	629.00 40	QCUA1831R/8\$		QSUA1933/8\$	
KGSL2017/8\$	602.00	QCUA1933R/8\$		QSXU2123/8\$	
KGSL2023/8\$	695.00	QD1831/8\$		QTCM1841/8\$	
KGSL2023/8\$	767.00 37	QD2035/10\$		QTU1842/8\$	
KSC1LUA/9D \$		QDCU2031L/8\$		Q101012/0	203.0000
KSC1RUA/9D\$		QDCU2031R/8\$			
KSC2RUA/9D\$		QDFS31B\$			

QUICK FIND GUIDE

FAUCETS & FITTINGS		ACCESSORIES					
Model	Price Page	Model	Price	Page	Model	Price	Page
KF10A\$	477.00 18	100 \$	18.00	88	BGDS22S\$	163.00	85
KF10B\$	676.00 18	125GOWK\$	58.00	88	BGDS27S\$	320.00	85
KF10C\$	541.00 18	315-9 \$	8.00	88	BGDS30S\$	343.00	85
KF10D\$	489.00 18	1047\$	24.00	88	BGDS33S\$	312.00	85
KF10E\$	545.00 19	1130\$	24.00	87	BGZ10S\$	131.00	87
KFPOS Replacement Parts	List77	1130/60\$	1,296.00	87	BGZ14S\$	137.00	87
KFPOS100\$	448.00 74	1130B\$	9.00	87	BGZ15S\$	143.00	87
KFPOS150\$	599.00 74	1135\$	23.00	87	BGZ1512S\$	134.00	87
KFPD Replacement Parts L	.ist77	1135/60\$	1,242.00	87	BGZ18S\$	150.00	87
KFPD1100\$	535.00	1135-CS\$	23.00	87	BGZ23S\$	155.00	87
KFPD1150\$	682.00	1135B\$	9.00	87	C09S\$	156.00	85
KFPD1200\$	624.00	1135B-CS\$	9.00	87	C20S\$	104.00	84
KFPD1400\$	624.00	1135T\$	8.00	87	C30S\$	116.00	84
KFPD1700\$	624.00 76	1140\$	24.00	87	C50S\$	144.00	84
KFPD1800\$	624.00 76	1140/60\$	1,296.00	87	CA1W\$	51.00	84
KFPD1900\$	624.00 76	20102\$	8.00	88	CB1714MB\$	150.00	84
KFPD2100\$	338.00 74	31548\$		88	CB1714SB\$	153.00	85
KFPD3100\$	338.00 74	31703\$	2.00	88	CM100\$	55.00	84
KSD10A\$	126.00 19	61411\$	13.00	87	DBR10S\$	131.00	85
KSD10C\$	177.00 19	61621\$	28.00	87	DR1614\$	74.00	84
KSD100\$	113.00 78	61622\$	301.00	87	EL-CLIPS\$	6.00	88
KSD150\$	151.00 78	BG10S\$	118.00	85	FPB1814\$	227.00	84
KSD1100\$	135.00 78	BG110S\$	150.00	86	GB50\$	236.00	84
KSD1150\$	174.00 78	BG11S\$	114.00	85	GB1712M \$	150.00	84
KSD1200\$	150.00 78	BG13S\$		86	MB100\$	201.00	84
KSD1400\$	150.00 79	BG160S\$		86	MB1610\$	83.00	84
KSD1700\$	150.00 79	BG170S\$		86	MB1612\$		84
KSD1800\$	150.00 79	BG180S		86	MB1710\$		84
KSD1900\$	150.00 79	BG190S		86	MB1809\$		84
PF10A\$	591.00 19	BG200S		86	MB20\$		84
WASTE DISPOSERS		BG20S\$		86	MB50		84
	Drico Dogo	BG210S\$		86	MB55\$		84
Model	Price Page	BG220S\$		86	MBZ16\$		84
	141.00 81	BG240S		87	MBZ17\$		84
KWD125B1/EZ\$	550.00 81	BG30S			RM50S\$		
KWD125C1/EZ\$	409.00 81	BG35S\$		86	RM55S\$	163.00	85
KWD33C1/EZ\$	145.00 80	BG65S\$		86			
KWD50C1/EZ\$	199.00 80	BG90S\$		86			
KWD50C2/EZ\$	163.00 80	BGA1217S\$ BGA1517S\$		86			
KWD75B1/EZ\$	428.00 81	BGA1817S\$		86			
KWD75C1/EZ\$	308.00 80	BGA1820S \$		86			
		BGA2317S \$		86			
		BGA3117S\$		86			
		BGDS0817S \$					
		BGDS10S\$					
		BGDS11S\$		85			
		BGDS13S\$		85			
		BGDS14S\$		85			
		BGDS15S\$		85			
		BGDS16S\$		85			
		BGDS18S\$	231.00	85			
		BGDS21S\$	266.00	85			



KINDRED ... MAKING YOUR BUSY LIFE SIMPLER.

Thanks for perusing our product pages. We look forward to being an integral part of your new home, renovation or building project. When you want to know more about our products ... or find the dealer nearest you ... please contact us, or visit our website ... we want to hear from you.



Franke Kindred Canada

Customer Service Department P.O. Box 190, 1000 Franke Kindred Road Midland, Ontario Canada L4R 4K9

Telephone: 1-866-687-7465
Fax: 1-800-361-8408
Email: info@kindred-sinkware.com
www.kindred-sinkware.com

Monday to Thursday - 8:00 am to 5:00 pm Friday - 8:00 am to 3:30 pm (Eastern Standard Time)

Quality System Registration to ISO 9001 Environmental Management System ISO 14001

Printed in Canada 61802 0216